



home and community care

A JOINT COMMONWEALTH AND STATE/TERRITORY PROGRAM
PROVIDING FUNDING AND ASSISTANCE FOR AUSTRALIANS IN NEED

Dementia estimates and projections for South Australia

Produced for
Alzheimer's Australia SA Inc

by John Glover
Director
Public Health Information Development Unit
The University of Adelaide

These estimates were produced for Alzheimer's Australia SA Inc. They are based on estimates produced by Access Economics Pty Ltd for Alzheimer's Australia (February 2005) and Alzheimer's Australia Victoria (11 February 2005). Staff at PHIDU (the Public Health Information Development Unit) applied the results from South Australia to population estimates and projections for South Australia's regions and local government areas, as described in Section 2.

John Glover
Director
Public Health Information Development Unit
The University of Adelaide

Ph: 08-8303-6237

E-mail: john.glover@adelaide.edu.au

January 2006

This research report was commissioned to enhance community knowledge and to foster discussion about issues affecting the development of better programs and services in South Australia. It's findings and conclusions are those of the authors and do not necessarily represent the views or the policies of the Department for Families and Communities or of the State Government.

Contents	Page
1. Background	1
2. Estimates and projections	2
2.1 Prevalence estimates	2
2.2 Incidence estimates	3
3. Contextual information	5
4. Dementia prevalence estimates for the State and Health Region by age and sex; and totals for local government areas	8
5. Dementia prevalence estimates for HACC regions by age and sex; and totals for local government areas	27
6. Dementia incidence estimates for the State, by age and sex	47

Tables

Table 1.1:	Local government areas by Health Region and HACC Region	1
Table 2.1:	Prevalence rates by age and sex	2
Table 2.2:	Incidence rates by age and sex	3
Table 3.1:	Index of Relative Socio-Economic Disadvantage scores by local government area, metropolitan Health Regions, 2001	5
Table 3.2:	Index of Relative Socio-Economic Disadvantage scores by local government area, country Health Regions, 2001	6
Table 3.3:	Country of birth of people born in predominantly non-English speaking countries, metropolitan HACC Regions, 2001	7
Table 4.1:	Prevalence estimates by sex, metropolitan and country health regions, South Australia, 2005 to 2020	9
Table 4.2:	Prevalence estimates by Health Region, South Australia, 2005 to 2020	10
Table 4.3:	Prevalence estimates by age and sex, South Australia, 2005 to 2020	11
Table 4.4:	Prevalence estimates by age and sex, metropolitan Health Regions, 2005 to 2020	12
Table 4.5:	Prevalence estimates by age and sex, country Health Regions, 2005 to 2020	13
Table 4.6:	Prevalence estimates by age and sex, Central Northern Adelaide Health Service Region, 2005 to 2020	14
Table 4.7:	Prevalence estimates by age and sex, Southern Adelaide Health Service Region, 2005 to 2020	15
Table 4.8:	Prevalence estimates by age and sex, Hills Mallee Southern Health Service Region, 2005 to 2020	16
Table 4.9:	Prevalence estimates by age and sex, Wakefield Health Service Region, 2005 to 2020	17
Table 4.10:	Prevalence estimates by age and sex, South East Health Service Region, 2005 to 2020	18
Table 4.11:	Prevalence estimates by age and sex, Northern and Far Western Health Service Region, 2005 to 2020	19
Table 4.12:	Prevalence estimates by age and sex, Eyre Health Service Region, 2005 to 2020	20

Table 4.13:	Prevalence estimates by age and sex, Mid North Health Service Region, 2005 to 2020	21
Table 4.14:	Prevalence estimates by age and sex, Riverland Health Service Region, 2005 to 2020	22
Table 4.15:	Prevalence estimates by metropolitan local government area (excluding Gawler), 2005 to 2020	23
Table 5.1:	Prevalence estimates by HACC Region, South Australia, 2005 to 2020	28
Table 5.2:	Prevalence estimates by age and sex, South Australia, 2005 to 2020	29
Table 5.3:	Prevalence estimates by age and sex, metropolitan HACC Regions, 2005 to 2020	30
Table 5.4:	Prevalence estimates by age and sex, country HACC Regions, 2005 to 2020	31
Table 5.5:	Prevalence estimates by age and sex, Metropolitan North HACC Region, 2005 to 2020	32
Table 5.6:	Prevalence estimates by age and sex, Metropolitan West HACC Region, 2005 to 2020	33
Table 5.7:	Prevalence estimates by age and sex, Metropolitan East HACC Region, 2005 to 2020	34
Table 5.8:	Prevalence estimates by age and sex, Metropolitan South HACC Region, 2005 to 2020	35
Table 5.9:	Prevalence estimates by age and sex, Hills Mallee Southern HACC Region, 2005 to 2020	36
Table 5.10:	Prevalence estimates by age and sex, Wakefield HACC Region, 2005 to 2020	37
Table 5.11:	Prevalence estimates by age and sex, South East HACC Region, 2005 to 2020	38
Table 5.12:	Prevalence estimates by age and sex, Northern and Far Western HACC Region, 2005 to 2020	39
Table 5.13:	Prevalence estimates by age and sex, Eyre HACC Region, 2005 to 2020	40
Table 5.14:	Prevalence estimates by age and sex, Mid North HACC Region, 2005 to 2020	41
Table 5.15:	Prevalence estimates by age and sex, Riverland HACC Region, 2005 to 2020	42
Table 5.16:	Prevalence estimates by metropolitan local government area, 2005 to 2020	43
Table 6.1:	Incidence estimates by age and sex, South Australia, 2005 to 2020	48
Table A1:	Prevalence estimates by sex, showing increase by year, metropolitan and country health regions, South Australia, 2005 to 2020	49

Figures

Figure 2.1:	Prevalence rates by age and sex	3
Figure 2.2:	Incidence rates by age and sex	4

1. Background

Incidence and prevalence rates by age and sex from Access Economics¹ were used to produce estimates of the prevalence population projections

Areas – age and sex by State, regions and regional groupings and totals by Local Government Area. Two sets of regions – Health Regions and Home and Community Care (HACC) Planning Regions.

The differences between these two sets of regions are:

1). Gawler:

- under the Health Regions, Gawler is excluded from the metropolitan regions (Central Northern Adelaide Region) and included in the country regions (Wakefield Region).

- under the HACC Regions, Gawler is in Metropolitan Adelaide (Northern Metropolitan Region).

2). The remaining variations are in the way the metropolitan local government areas (LGAs) are distributed between the regions: note that, apart from Wakefield Region (as a Health Region includes Gawler, as a HACC Region excludes Gawler), Health Regions and HACC Regions in country South Australia are the same.

Table 1.1: Local government areas by Health Region and HACC Region

Local government area	Health Regions	HACC Regions
Adelaide	CNAHS	Eastern
Adelaide Hills [part]*	CNAHS	Eastern
Burnside	CNAHS	Eastern
Campbelltown	CNAHS	Eastern
Charles Sturt	CNAHS	Western
Gawler	Wakefield	Northern
Holdfast	SAHS	Southern
Marion	SAHS	Southern
Norwood/Payneham/St Peters	CNAHS	Eastern
Mitcham	SAHS	Southern
Onkaparinga	SAHS	Southern
Port Adelaide/Enfield	CNAHS	Western and Eastern**
Playford	CNAHS	Northern
Prospect	CNAHS	Eastern
Salisbury	CNAHS	Northern
Tea Tree Gully	CNAHS	Northern
Unley	CNAHS	Southern
Walkerville	CNAHS	Eastern
West Torrens	CNAHS	Western

*'Central' and 'Ranges' parts (Statistical Local Areas (SLAs)) of Adelaide Hills District Council

**The Inner and Eastern parts (SLAs) of Port Adelaide Enfield are in Eastern metropolitan HACC Region

Note: Statistical Local Areas are equivalent to whole, or part of a Local Government Area

¹ Dementia Estimates and Projections: Victoria and its Regions. Report by Access Economics Pty Limited for Alzheimer's Australia Vic, 11 February 2005

2. Estimates and projections

Estimates are provided of both prevalence and incidence of dementia in South Australia. The prevalence estimates are estimates of the number of people with dementia at a point in time. Incidence estimates for a year show the number of new cases added in that year.

Users of these estimates should note that they are only an allocation of the State estimate, and do not take account of variation between LGAs that might occur due to other characteristics of the population. For example, variations that might occur due to ethnic background, socioeconomic status, lifetime occupation or other factors have not been taken into account. Summary data as to the geographic distribution of disadvantaged populations and people born in predominantly non-English speaking countries are in Section 3.

2.1 Prevalence estimates

Prevalence estimates for South Australia by age and sex, produced by Access Economics², as shown in Table 2.1 and Figure 2.1, were allocated to Health Regions and Home and Community Care Regions (HACC) for using projected resident populations from 2005 to 2020³. Estimates of prevalence were also produced for LGAs, although the estimates provided are only totals, and not by age and sex.

Table 2.1: Prevalence rates by age and sex

Per cent of population at each age

Age group	Females	Males
0-59	0.01	0.01
60-64	0.6	1.2
65-69	1.3	1.7
70-74	3.3	3.5
75-79	6.3	5.8
80-84	12.6	11.8
85-89	21.5	18.6
90-94	33.3	31.1
95+	40.3	38.1


Source: Access Economics, Vic report

Detailed prevalence estimates by State and Health Region are in Section 4, with estimates by HACC region in Section 5.

² Dementia Estimates and Projections: Australian States and Territories. Report by Access Economics Pty Limited for Alzheimer's Australia, February 2005

³ Projected resident populations by Statistical Local Area, Australian Bureau of Statistics (unpublished)

Figure 2.1: Prevalence rates by age and sex



Source: Access Economic, Vic report

2.2 Incidence estimates

Incidence estimates for South Australia by age and sex, produced by Access Economics⁴, as shown in Table 2.2 and Figure 2.2, were applied to the State projected resident populations from 2005 to 2020.

Table 2.2: Incidence rates by age and sex
Per cent of population at each age

Age group	Females	Males
60-64	0.03	0.03
65-69	0.11	0.12
70-74	0.24	0.27
75-79	0.42	0.58
80-84	0.46	0.75
85-89	0.35	0.77
90-94	0.16	0.49
95+	0.03	0.12


Source: Access Economics, Vic report

The estimates are in Section 6, from page 49. Incidence estimates were not produced for areas smaller than the State because of the small numbers involved.

⁴ Dementia Estimates and Projections: Australian States and Territories. Report by Access Economics Pty Limited for Alzheimer's Australia, February 2005

Figure 2.2: Incidence rates by age and sex

Per cent of age group



Source: Access Economics Vic report

3 Contextual information

Two datasets considered as providing important contextual information (in addition to age and sex), are the geographic distribution of disadvantaged populations and people born in predominantly non-English speaking countries.

The Australian Bureau of Statistics produced the Index of Relative Socio-Economic Disadvantage (IRSD), one of four Socio-Economic Indexes for Areas (SEIFA), following the 2001 Census using data variables collected in the Census. The IRSD is a summary measure of the socioeconomic disadvantage of the population in areas: index scores for LGAs in the metropolitan and country Health Regions are shown in Tables 3.1 and 3.2. The 'Note' to each table shows the values for Gawler, which is treated differently under the Health Regions and HACC Regions.

The IRSD has a base of 1000 for Australia. The index score calculated for the metropolitan health regions is 1006. Within these regions scores vary widely, despite the large population size of many LGAs, from a low of 878 in Playford (indicating that the population in Playford is disadvantaged relative to the metropolitan regions as a whole) to a high of 1120 in the part Burnside.

Table 3.1: Index of Relative Socio-Economic Disadvantage scores by local government area, metropolitan Health Regions, 2001

LGA	IRSD	LGA	IRSD
Adelaide (C)	1072	Onkaparinga (C)	1001
Adelaide Hills (DC) (part)	1119	Playford (C)	878
Burnside (C)	1120	Port Adel. Enfield (C)	914
Campbelltown (C)	1027	Prospect (C)	1066
Charles Sturt (C)	984	Salisbury (C)	936
Holdfast Bay (C)	1070	Tea Tree Gully (C)	1052
Marion (C)	1011	Unley (C)	1097
Mitcham (C)	1094	Walkerville (M)	1114
Norwood Payneham St Peters (C)	1059	West Torrens (C)	1008
Metropolitan Health Regions			1006

Note: Metropolitan HACC region includes Gawler, with an IRSD of 990 – inclusion of Gawler does not affect the index score shown for the Metropolitan regions

The IRSD score for country South Australia is 983, ranging from 680 in Unincorporated Riverland to 1064 in the part of Adelaide Hills in the country Health and HACC Regions: similarly low index scores were recorded for the other unincorporated areas, and Peterborough has the next lowest score, of 895.

Table 3.2: Index of Relative Socio-Economic Disadvantage scores by local government area, country Health Regions, 2001

LGA	IRSD	LGA	LGA
Adelaide Hills (DC) (part)	1064	Naracoorte and Lucindale (DC)	1013
Alexandrina (DC)	1011	Northern Areas (DC)	1009
Barossa (DC)	1032	Orroroo/Carrieton (DC)	1036
Barunga West (DC)	1012	Peterborough (DC)	895
Berri & Barmera (DC)	966	Port Augusta (C)	948
Ceduna (DC)	984	Port Lincoln (C)	962
Clare and Gilbert Valleys (DC)	1024	Port Pirie C, Dists (M)	941
Cleve (DC)	1040	Renmark Paringa (DC)	952
Cooper Pedy (DC)	942	Robe (DC)	1027
Copper Coast (DC)	971	Roxby Downs (M)	1035
Elliston (DC)	1014	Southern Mallee (DC)	1040
Flinders Ranges (DC)	979	Streaky Bay (DC)	1010
Franklin Harbor (DC)	1028	Tatiara (DC)	1012
Gawler (DC)	990	The Coorong (DC)	980
Goyder (DC)	989	Tumby Bay (DC)	1038
Grant (DC)	1026	Victor Harbor (DC)	1016
Kangaroo Island (DC)	1006	Wakefield (DC)	981
Karoonda East Murray (DC)	1010	Wattle Range (DC)	972
Kimba (DC)	1049	Whyalla (C)	916
Lacepede (DC)	1008	Yankalilla (DC)	1013
Le Hunte (DC)	1045	Yorke Peninsula (DC)	1006
Light (DC)	1026	Unincorp. Far North	816
Lower Eyre Peninsula (DC)	1034	Unincorp. Flinders Ranges	990
Loxton Waikerie (DC)	983	Unincorp. Lincoln	1048
Mallala (DC)	980	Unincorp. Murray Mallee	0
Mid Murray (DC)	961	Unincorp. Pirie	978
Mount Barker (DC)	1032	Unincorp. Riverland	680
Mount Gambier (C)	962	Unincorp. West Coast	881
Mount Remarkable (DC)	1009	Unincorp. Whyalla	809
Murray Bridge (RC)	921	Unincorp. Yorke	0
Country Health Regions			983

Note: HACC country regions exclude Gawler – the exclusion of this area does not affect the index score shown for country South Australia

Table 3.3 shows, for the four metropolitan HACC Regions, the country of birth of the major birthplaces for people born in predominantly non-English speaking countries at the 2001 Census.

Table 3.3: Country of birth of people born in predominantly non-English speaking countries, metropolitan HACCC Regions, 2001

Country of birth	East Region			West Region			South Region			North Region			Metropolitan Adelaide		
	Males	Females	Persons	Males	Females	Persons	Males	Females	Persons	Males	Females	Persons	Males	Females	Persons
China	594	666	1,260	469	504	973	362	401	763	229	257	486	1,654	1,828	3,482
Croatia	237	247	484	657	641	1,298	305	270	575	364	360	724	1,563	1,518	3,081
Egypt	134	120	254	115	123	238	188	204	392	76	66	142	513	513	1,026
Fiji	76	80	156	38	58	96	130	145	275	92	114	206	336	397	733
France	130	137	267	79	93	172	158	183	341	66	87	153	433	500	933
Germany	1,095	1,293	2,388	804	980	1,784	1,545	1,693	3,238	1,265	1,505	2,770	4,709	5,471	10,180
Greece	1,158	1,137	2,295	2,318	2,417	4,735	1,187	1,131	2,318	650	568	1,218	5,313	5,253	10,566
Hong Kong	441	438	879	93	85	178	238	266	504	106	79	185	878	868	1,746
India	550	498	1,048	306	283	589	480	462	942	277	288	565	1,613	1,531	3,144
Indonesia	160	161	321	96	96	192	210	245	455	101	105	206	567	607	1,174
Italy	5,003	4,862	9,865	3,590	3,559	7,149	1,334	1,150	2,484	2,082	1,698	3,780	12,009	11,269	23,278
South Korea	135	175	310	50	61	111	113	144	257	54	86	140	352	466	818
Lebanon	214	196	410	138	102	240	207	229	436	175	171	346	734	698	1,432
Macedonia	17	8	25	104	102	206	22	15	37	74	70	144	217	195	412
Malaysia	906	951	1,857	268	303	571	488	567	1,055	227	278	505	1,889	2,099	3,988
Malta	171	175	346	206	211	417	156	176	332	297	259	556	830	821	1,651
Netherlands	595	599	1,194	350	342	692	1,176	1,201	2,377	975	992	1,967	3,096	3,134	6,230
Philippines	184	492	676	271	611	882	314	756	1,070	393	832	1,225	1,162	2,691	3,853
Poland	599	667	1,266	883	967	1,850	873	940	1,813	785	811	1,596	3,140	3,385	6,525
Singapore	272	306	578	66	66	132	168	259	427	72	102	174	578	733	1,311
Sri Lanka	223	229	452	47	59	106	142	155	297	94	89	183	506	532	1,038
Turkey	96	74	170	31	38	69	58	38	96	54	51	105	239	201	440
Viet Nam	758	781	1,539	2,284	2,472	4,756	254	278	532	1,743	1,643	3,386	5,039	5,174	10,213
Yugoslavia	339	320	659	768	769	1,537	355	370	725	475	423	898	1,937	1,882	3,819
Total	15,666	16,251	31,917	14,031	14,942	28,973	8,884	9,639	18,523	10,726	10,934	21,660	49,307	51,766	101,073

4. Dementia prevalence estimates for the State and Health Region by age and sex; and totals for metropolitan local government areas

Estimates of the prevalence of dementia, and the rate of increase, in the metropolitan regions and country South Australia from 2005 to 2020 are shown in Table 4.1: Table A1 in the Appendix shows this same data, but includes the estimated proportion of population with dementia, rather than the increase.

Estimates of the prevalence of dementia by Health Region from 2005 to 2020 are shown in Table 4.2, with details of these estimates by age and sex in Tables 4.3 to 4.14. Table 4.15 shows the estimated prevalence for each metropolitan local government area.

Table 4.1: Prevalence estimates by sex, metropolitan and country health regions, South Australia, 2005 to 2020
The numbers of persons represented by these increases are shown in Table A1 in the Appendix

Year	Section of State	Number			Increase over previous year (%)		
		Males	Females	Persons	Males	Females	Persons
2005	Metropolitan regions	5,120	8,703	13,823
	Country SA	2,010	2,987	4,997
	State total	7,130	11,690	18,820
2006	Metropolitan regions	5,287	8,963	14,250	3.3	3.0	3.1
	Country SA	2,083	3,097	5,180	3.6	3.7	3.7
	State total	7,370	12,060	19,430	3.4	3.2	3.2
2007	Metropolitan regions	5,469	9,201	14,670	3.4	2.7	2.9
	Country SA	2,161	3,199	5,360	3.7	3.3	3.5
	State total	7,630	12,400	20,030	3.5	2.8	3.1
2008	Metropolitan regions	5,641	9,428	15,069	3.1	2.5	2.7
	Country SA	2,239	3,302	5,541	3.6	3.2	3.4
	State total	7,880	12,730	20,610	3.3	2.7	2.9
2009	Metropolitan regions	5,820	9,632	15,451	3.2	2.2	2.5
	Country SA	2,320	3,398	5,719	3.6	2.9	3.2
	State total	8,140	13,030	21,170	3.3	2.4	2.7
2010	Metropolitan regions	6,006	9,849	15,855	3.2	2.3	2.6
	Country SA	2,404	3,501	5,905	3.6	3.0	3.3
	State total	8,410	13,350	21,760	3.3	2.5	2.8
2011	Metropolitan regions	6,205	10,072	16,276	3.3	2.3	2.7
	Country SA	2,498	3,609	6,108	3.9	3.1	3.4
	State total	8,703	13,681	22,384	3.5	2.5	2.9
2012	Metropolitan regions	6,404	10,293	16,696	3.2	2.2	2.6
	Country SA	2,592	3,719	6,312	3.8	3.0	3.3
	State total	8,996	14,012	23,008	3.4	2.4	2.8
2013	Metropolitan regions	6,604	10,514	17,118	3.1	2.1	2.5
	Country SA	2,685	3,829	6,514	3.6	3.0	3.2
	State total	9,289	14,343	23,632	3.3	2.4	2.7
2014	Metropolitan regions	6,802	10,730	17,532	3.0	2.1	2.4
	Country SA	2,780	3,944	6,724	3.5	3.0	3.2
	State total	9,582	14,674	24,256	3.2	2.3	2.6
2015	Metropolitan regions	7,004	10,951	17,954	3.0	2.1	2.4
	Country SA	2,871	4,054	6,926	3.3	2.8	3.0
	State total	9,875	15,005	24,880	3.1	2.3	2.6
2016	Metropolitan regions	7,203	11,177	18,380	2.8	2.1	2.4
	Country SA	2,965	4,159	7,124	3.3	2.6	2.9
	State total	10,168	15,336	25,504	3.0	2.2	2.5
2017	Metropolitan regions	7,405	11,400	18,805	2.8	2.0	2.3
	Country SA	3,056	4,267	7,323	3.1	2.6	2.8
	State total	10,461	15,667	26,128	2.9	2.2	2.4
2018	Metropolitan regions	7,609	11,626	19,234	2.8	2.0	2.3
	Country SA	3,145	4,372	7,518	2.9	2.5	2.7
	State total	10,754	15,998	26,752	2.8	2.1	2.4
2019	Metropolitan regions	7,809	11,849	19,658	2.6	1.9	2.2
	Country SA	3,238	4,480	7,718	3.0	2.5	2.7
	State total	11,047	16,329	27,376	2.7	2.1	2.3
2020	Metropolitan regions	8,014	12,072	20,086	2.6	1.9	2.2
	Country SA	3,326	4,588	7,914	2.7	2.4	2.5

State total	11,340	16,660	28,000	2.7	2.0	2.3
-------------	--------	--------	--------	-----	-----	-----

Table 4.2: Prevalence estimates by Health Region, South Australia, 2005 to 2020

Region	2005	2006	2007	2008	2009	2010	2015	2020
Central Northern	9,471	9,750	10,413	11,073	10,548	10,815	12,249	13,687
% of population	1.2	1.3	1.3	1.4	1.3	1.4	1.5	1.7
% of estimate	50.3	50.2	52.0	53.7	49.8	49.7	49.2	48.9
% increase over previous year		2.9	6.8	6.3	-4.7	2.9	6.8	6.3
Central Southern	4,352	4,500	4,642	4,782	4,903	5,040	5,705	6,399
% of population	1.3	1.3	1.4	1.4	1.5	1.5	1.7	1.8
% of estimate	23.1	23.2	23.2	23.2	23.2	23.2	22.9	22.9
% increase over previous year		3.4	3.2	3.0	2.5	3.4	3.2	3.0
Metro Regions	13,823	14,250	14,670	15,069	15,451	15,855	17,954	20,086
% of population	1.2	1.3	1.3	1.3	1.4	1.4	1.6	1.7
% of estimate	73.4	73.3	73.2	73.1	73.0	72.9	72.2	71.7
% increase over previous year		3.1	2.9	2.7	2.5	3.1	2.9	2.7
Hills Mallee								
Southern	1,450	1,518	1,589	1,656	1,723	1,797	2,180	2,566
% of population	1.2	1.3	1.3	1.4	1.4	1.5	1.7	2.0
% of estimate	7.7	7.8	7.9	8.0	8.1	8.3	8.8	9.2
% increase over previous year		4.7	4.7	4.2	4.0	4.7	4.7	4.2
Wakefield	1,272	1,316	1,359	1,404	1,444	1,487	1,745	1,995
% of population	1.3	1.3	1.3	1.4	1.4	1.4	1.7	1.9
% of estimate	6.8	6.8	6.8	6.8	6.8	6.8	7.0	7.1
% increase over previous year		3.5	3.3	3.3	2.8	3.5	3.3	3.3
South East	672	692	713	734	759	781	902	1,018
% of population	1.1	1.1	1.1	1.2	1.2	1.3	1.5	1.7
% of estimate	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6
% increase over previous year		3.0	3.0	3.0	3.4	3.0	3.0	3.0
Northern & Far								
Western	397	410	421	433	448	462	540	607
% of population	0.8	0.8	0.9	0.9	0.9	1.0	1.2	1.4
% of estimate	2.1	2.1	2.1	2.1	2.1	2.1	2.2	2.2
% increase over previous year		3.4	2.7	2.9	3.4	3.4	2.7	2.9
Eyre	387	400	411	423	434	448	520	591
% of population	1.1	1.1	1.2	1.2	1.2	1.3	1.5	1.6
% of estimate	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1
% increase over previous year		3.4	2.9	2.8	2.7	3.4	2.9	2.8
Mid North	428	442	454	468	478	488	548	597
% of population	1.4	1.5	1.5	1.6	1.6	1.6	1.9	2.2
% of estimate	2.3	2.3	2.3	2.3	2.3	2.2	2.2	2.1
% increase over previous year		3.3	2.8	2.9	2.1	3.3	2.8	2.9
Riverland	392	401	412	423	433	442	491	538
% of population	1.2	1.2	1.2	1.3	1.3	1.3	1.5	1.7
% of estimate	2.1	2.1	2.1	2.1	2.0	2.0	2.0	1.9
% increase over previous year		2.5	2.6	2.7	2.3	2.5	2.6	2.7
Country SA	4,997	5,180	5,360	5,541	5,719	5,905	6,926	7,914
% of population	1.2	1.2	1.2	1.3	1.3	1.4	1.6	1.8
% of estimate	26.6	26.7	26.8	26.9	27.0	27.1	27.8	28.3
% increase over previous year		3.7	3.5	3.4	3.2	3.7	3.5	3.4
South Australia	18,820	19,430	20,030	20,610	21,170	21,760	24,880	28,000

								0
% of population	1.2	1.3	1.3	1.3	1.4	1.4	1.6	1.8
% of estimate	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
% increase over previous								
year		3.2	3.1	2.9	2.7	2.8	2.6	2.3

Table 4.3: Prevalence estimates by age and sex, South Australia, 2005 to 2020

Age and sex	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
Males																
0-59	60	60	60	60	60	60	60	60	60	60	60	60	60	60	60	60
60-64	430	450	490	520	540	560	564	568	572	576	580	584	588	592	596	600
65-69	520	530	540	560	580	600	619	638	657	676	695	714	733	752	771	790
70-74	870	880	900	920	950	980	1,032	1,084	1,136	1,188	1,240	1,292	1,344	1,396	1,448	1,500
75-79	1,310	1,300	1,280	1,270	1,260	1,240	1,287	1,334	1,381	1,428	1,475	1,522	1,569	1,616	1,663	1,710
80-84	1,760	1,820	1,890	1,950	2,000	2,030	2,060	2,090	2,120	2,150	2,180	2,210	2,240	2,270	2,300	2,330
85+	2,180	2,330	2,470	2,600	2,750	2,940	3,081	3,222	3,363	3,504	3,645	3,786	3,927	4,068	4,209	4,350
Total males	7,130	7,370	7,630	7,880	8,140	8,410	8,703	8,996	9,289	9,582	9,875	10,168	10,461	10,754	11,047	11,340
<i>% of M pop'n</i>	<i>0.9</i>	<i>1.0</i>	<i>1.0</i>	<i>1.0</i>	<i>1.1</i>	<i>1.1</i>	<i>1.1</i>	<i>1.2</i>	<i>1.2</i>	<i>1.2</i>	<i>1.3</i>	<i>1.3</i>	<i>1.3</i>	<i>1.4</i>	<i>1.4</i>	<i>1.4</i>
Females																
0-59	60	60	60	60	60	60	60	60	60	60	60	60	60	60	60	60
60-64	230	240	260	280	290	300	303	306	309	312	315	318	321	324	327	330
65-69	410	410	420	430	440	460	477	494	511	528	545	562	579	596	613	630
70-74	940	930	950	980	1,010	1,030	1,083	1,136	1,189	1,242	1,295	1,348	1,401	1,454	1,507	1,560
75-79	1,730	1,720	1,690	1,660	1,630	1,620	1,667	1,714	1,761	1,808	1,855	1,902	1,949	1,996	2,043	2,090
80-84	2,850	2,900	2,920	2,930	2,960	2,930	2,951	2,972	2,993	3,014	3,035	3,056	3,077	3,098	3,119	3,140
85+	5,470	5,800	6,100	6,390	6,640	6,950	7,140	7,330	7,520	7,710	7,900	8,090	8,280	8,470	8,660	8,850
Total females	11,690	12,060	12,400	12,730	13,030	13,350	13,681	14,012	14,343	14,674	15,005	15,336	15,667	15,998	16,329	16,660
<i>% of F pop'n</i>	<i>1.5</i>	<i>1.5</i>	<i>1.6</i>	<i>1.6</i>	<i>1.7</i>	<i>1.7</i>	<i>1.7</i>	<i>1.8</i>	<i>1.8</i>	<i>1.8</i>	<i>1.9</i>	<i>1.9</i>	<i>2.0</i>	<i>2.0</i>	<i>2.0</i>	<i>2.1</i>
Total																
0-59	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120
60-64	660	690	707	800	830	860	867	874	881	888	895	902	909	916	923	930
65-69	930	940	946	990	1,020	1,060	1,096	1,132	1,168	1,204	1,240	1,276	1,312	1,348	1,384	1,420
70-74	1,810	1,810	1,823	1,900	1,960	2,010	2,115	2,220	2,325	2,430	2,535	2,640	2,745	2,850	2,955	3,060
75-79	3,040	3,020	3,015	2,930	2,890	2,860	2,954	3,048	3,142	3,236	3,330	3,424	3,518	3,612	3,706	3,800
80-84	4,610	4,720	4,760	4,880	4,960	4,960	5,011	5,062	5,113	5,164	5,215	5,266	5,317	5,368	5,419	5,470
85+	7,650	8,130	8,238	8,990	9,390	9,890	10,221	10,552	10,883	11,214	11,545	11,876	12,207	12,538	12,869	13,200
Total persons	18,820	19,430	20,030	20,610	21,170	21,760	22,384	23,008	23,632	24,256	24,880	25,504	26,128	26,752	27,376	28,000
<i>% of Total pop'n</i>	<i>1.2</i>	<i>1.3</i>	<i>1.3</i>	<i>1.3</i>	<i>1.4</i>	<i>1.4</i>	<i>1.4</i>	<i>1.5</i>	<i>1.5</i>	<i>1.5</i>	<i>1.6</i>	<i>1.6</i>	<i>1.7</i>	<i>1.7</i>	<i>1.7</i>	<i>1.8</i>

Table 4.4: Prevalence estimates by age and sex, metropolitan Health Regions, 2005 to 2020

Age and sex	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
Males																
0-59	43	43	43	43	43	43	43	43	44	44	44	44	44	44	44	44
60-64	293	307	335	356	369	383	385	387	387	389	391	393	395	398	401	404
65-69	355	362	369	383	397	409	424	438	451	464	477	489	501	511	523	535
70-74	605	611	625	639	659	678	714	750	786	822	857	895	933	970	1,005	1,041
75-79	933	922	904	895	886	874	906	939	972	1,004	1,035	1,067	1,100	1,134	1,167	1,198
80-84	1,294	1,331	1,374	1,413	1,441	1,457	1,473	1,489	1,507	1,526	1,550	1,569	1,592	1,612	1,632	1,651
85+	1,597	1,711	1,818	1,913	2,024	2,162	2,260	2,357	2,457	2,553	2,650	2,746	2,840	2,940	3,038	3,141
Total males	5,120	5,287	5,469	5,641	5,820	6,006	6,205	6,404	6,604	6,802	7,004	7,203	7,405	7,609	7,809	8,014
<i>% of male pop'n</i>	<i>0.9</i>	<i>1.0</i>	<i>1.0</i>	<i>1.0</i>	<i>1.1</i>	<i>1.1</i>	<i>1.1</i>	<i>1.1</i>	<i>1.1</i>	<i>1.2</i>	<i>1.2</i>	<i>1.2</i>	<i>1.3</i>	<i>1.3</i>	<i>1.3</i>	<i>1.4</i>
Females																
0-59	44	44	44	44	44	44	44	44	44	44	44	44	44	44	44	44
60-64	161	168	183	198	206	213	216	217	219	220	222	223	225	227	228	230
65-69	291	290	296	303	309	323	335	348	362	376	389	401	412	423	435	445
70-74	678	669	681	701	723	737	772	808	845	879	916	955	996	1,038	1,080	1,120
75-79	1,277	1,267	1,240	1,214	1,188	1,177	1,208	1,239	1,271	1,305	1,339	1,367	1,400	1,431	1,461	1,493
80-84	2,142	2,173	2,179	2,179	2,187	2,155	2,166	2,173	2,182	2,191	2,200	2,211	2,222	2,233	2,249	2,264
85+	4,111	4,354	4,579	4,789	4,975	5,200	5,331	5,462	5,592	5,714	5,841	5,974	6,102	6,229	6,351	6,475
Total females	8,703	8,963	9,201	9,428	9,632	9,849	10,072	10,293	10,514	10,730	10,951	11,177	11,400	11,626	11,849	12,072
<i>% of female pop'n</i>	<i>1.5</i>	<i>1.6</i>	<i>1.6</i>	<i>1.7</i>	<i>1.7</i>	<i>1.7</i>	<i>1.7</i>	<i>1.8</i>	<i>1.8</i>	<i>1.9</i>	<i>1.9</i>	<i>1.9</i>	<i>2.0</i>	<i>2.0</i>	<i>2.0</i>	<i>2.1</i>
Persons																
0-59	87	87	87	87	87	87	87	87	88	88	88	88	88	88	88	88
60-64	453	475	475	554	575	597	601	604	606	609	613	616	620	625	630	635
65-69	646	652	652	686	706	732	759	786	813	840	866	890	913	934	958	981
70-74	1,282	1,280	1,280	1,340	1,381	1,415	1,486	1,559	1,631	1,702	1,773	1,850	1,928	2,008	2,084	2,161
75-79	2,211	2,189	2,189	2,109	2,075	2,050	2,114	2,179	2,243	2,309	2,373	2,435	2,500	2,565	2,628	2,691
80-84	3,436	3,503	3,503	3,592	3,628	3,612	3,639	3,662	3,689	3,717	3,750	3,781	3,814	3,845	3,881	3,915
85+	5,708	6,065	6,065	6,702	6,999	7,362	7,591	7,820	8,049	8,267	8,491	8,720	8,942	9,169	9,389	9,616
Total persons	13,823	14,250	14,670	15,069	15,451	15,855	16,276	16,696	17,118	17,532	17,954	18,380	18,805	19,234	19,658	20,086
<i>% of Total pop'n</i>	<i>1.2</i>	<i>1.3</i>	<i>1.3</i>	<i>1.3</i>	<i>1.4</i>	<i>1.4</i>	<i>1.4</i>	<i>1.5</i>	<i>1.5</i>	<i>1.5</i>	<i>1.6</i>	<i>1.6</i>	<i>1.6</i>	<i>1.7</i>	<i>1.7</i>	<i>1.7</i>

Note: Excludes Gawler

Table 4.5: Prevalence estimates by age and sex, country Health Regions, 2005 to 2020

Age and sex	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
Males																
0-59	17	17	17	17	17	17	17	17	16	16	16	16	16	16	16	16
60-64	137	143	155	164	171	177	179	181	185	187	189	191	193	194	195	196
65-69	165	168	171	177	183	191	195	200	206	212	218	225	232	241	248	255
70-74	265	269	275	281	291	302	318	334	350	366	383	397	411	426	443	459
75-79	377	378	376	375	374	366	381	395	409	424	440	455	469	482	496	512
80-84	466	489	516	537	559	573	587	601	613	624	630	641	648	658	668	679
85+	583	619	652	687	726	778	821	865	906	951	995	1,040	1,087	1,128	1,171	1,209
Total males	2,010	2,083	2,161	2,239	2,320	2,404	2,498	2,592	2,685	2,780	2,871	2,965	3,056	3,145	3,238	3,326
<i>% of male pop'n</i>	<i>1.2</i>	<i>1.3</i>	<i>1.3</i>	<i>1.4</i>	<i>1.4</i>	<i>1.5</i>	<i>1.6</i>	<i>1.7</i>	<i>1.7</i>	<i>1.8</i>	<i>1.9</i>	<i>2.0</i>	<i>2.0</i>	<i>2.1</i>	<i>2.2</i>	<i>2.3</i>
Females																
0-59	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16
60-64	69	72	77	82	84	87	87	89	90	92	93	95	96	97	99	100
65-69	119	120	124	127	131	137	142	146	149	152	156	161	167	173	178	185
70-74	262	261	269	279	287	293	311	328	344	363	379	393	405	416	427	440
75-79	453	453	450	446	442	443	459	475	490	503	516	535	549	565	582	597
80-84	708	727	741	751	773	775	785	799	811	823	835	845	855	865	870	876
85+	1,359	1,446	1,521	1,601	1,665	1,750	1,809	1,868	1,928	1,996	2,059	2,116	2,178	2,241	2,309	2,375
Total females	2,987	3,097	3,199	3,302	3,398	3,501	3,609	3,719	3,829	3,944	4,054	4,159	4,267	4,372	4,480	4,588
<i>% of female pop'n</i>	<i>1.4</i>	<i>1.5</i>	<i>1.5</i>	<i>1.5</i>	<i>1.6</i>	<i>1.6</i>	<i>1.7</i>	<i>1.7</i>	<i>1.8</i>	<i>1.8</i>	<i>1.9</i>	<i>1.9</i>	<i>2.0</i>	<i>2.0</i>	<i>2.1</i>	<i>2.1</i>
Persons																
0-59	33	33	33	33	33	33	33	33	32	32	32	32	32	32	32	32
60-64	207	215	232	246	255	263	266	270	275	279	282	286	289	291	293	295
65-69	284	288	295	304	314	328	337	346	355	364	374	386	399	414	426	439
70-74	528	530	543	560	579	595	629	661	694	728	762	790	817	842	871	899
75-79	829	831	826	821	815	810	840	869	899	927	957	989	1,018	1,047	1,078	1,109
80-84	1,174	1,217	1,257	1,288	1,332	1,348	1,372	1,400	1,424	1,447	1,465	1,485	1,503	1,523	1,538	1,555
85+	1,942	2,065	2,173	2,288	2,391	2,528	2,630	2,732	2,834	2,947	3,054	3,156	3,265	3,369	3,480	3,584
Total persons	4,997	5,180	5,360	5,541	5,719	5,905	6,108	6,312	6,514	6,724	6,926	7,124	7,323	7,518	7,718	7,914
<i>% of Total pop'n</i>	<i>1.2</i>	<i>1.2</i>	<i>1.2</i>	<i>1.3</i>	<i>1.3</i>	<i>1.4</i>	<i>1.4</i>	<i>1.5</i>	<i>1.5</i>	<i>1.5</i>	<i>1.6</i>	<i>1.6</i>	<i>1.7</i>	<i>1.7</i>	<i>1.8</i>	<i>1.8</i>

Note: Includes Gawler

Table 4.6: Prevalence estimates by age and sex, Central Northern Adelaide Health Service Region, 2005 to 2020

Age and sex	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
Males																
0-59	30	30	30	30	30	30	31	31	31	31	31	31	31	31	31	31
60-64	203	212	230	244	252	262	263	263	264	265	266	267	269	272	275	277
65-69	254	259	262	271	279	285	294	301	310	318	327	336	343	350	358	366
70-74	427	434	445	456	469	482	506	530	553	576	595	618	641	665	688	714
75-79	650	641	629	622	618	613	638	663	688	708	730	752	773	792	813	827
80-84	882	909	942	972	991	1,000	1,011	1,023	1,033	1,050	1,073	1,091	1,107	1,124	1,134	1,147
85+	1,072	1,149	1,218	1,275	1,351	1,446	1,513	1,581	1,646	1,711	1,773	1,836	1,902	1,966	2,036	2,110
Total males	3,519	3,634	3,756	3,869	3,992	4,118	4,256	4,392	4,524	4,658	4,794	4,930	5,066	5,199	5,335	5,472
<i>% of male pop'n</i>	<i>0.9</i>	<i>0.9</i>	<i>1.0</i>	<i>1.0</i>	<i>1.0</i>	<i>1.1</i>	<i>1.1</i>	<i>1.1</i>	<i>1.2</i>	<i>1.2</i>	<i>1.2</i>	<i>1.3</i>	<i>1.3</i>	<i>1.3</i>	<i>1.3</i>	<i>1.4</i>
Females																
0-59	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31
60-64	113	117	127	137	142	147	148	149	150	151	152	153	154	156	157	158
65-69	207	206	210	214	217	226	234	242	251	260	268	276	284	290	298	305
70-74	476	471	481	496	512	521	546	570	593	614	640	664	689	718	745	771
75-79	879	875	859	843	828	823	846	869	892	916	937	958	978	997	1,014	1,037
80-84	1,450	1,473	1,475	1,481	1,488	1,469	1,483	1,493	1,501	1,512	1,522	1,531	1,539	1,547	1,558	1,566
85+	2,797	2,943	3,089	3,216	3,339	3,481	3,564	3,650	3,737	3,821	3,906	3,999	4,090	4,177	4,265	4,347
Total females	5,952	6,116	6,656	7,204	6,557	6,697	6,851	7,003	7,154	7,305	7,455	7,612	7,765	7,916	8,068	8,215
<i>% of female pop'n</i>	<i>1.5</i>	<i>1.5</i>	<i>1.7</i>	<i>1.8</i>	<i>1.6</i>	<i>1.7</i>	<i>1.7</i>	<i>1.7</i>	<i>1.8</i>	<i>1.8</i>	<i>1.8</i>	<i>1.9</i>	<i>1.9</i>	<i>1.9</i>	<i>2.0</i>	<i>2.0</i>
Total																
0-59	61	61	61	61	61	61	61	61	61	62	62	62	62	62	62	62
60-64	316	329	357	381	394	408	411	413	413	416	418	419	423	427	431	436
65-69	461	465	473	485	496	512	527	543	561	578	595	612	627	640	656	671
70-74	904	905	925	952	981	1,002	1,052	1,100	1,146	1,190	1,234	1,282	1,330	1,383	1,434	1,485
75-79	1,528	1,516	1,488	1,465	1,446	1,436	1,485	1,532	1,580	1,624	1,667	1,710	1,751	1,789	1,827	1,864
80-84	2,332	2,382	2,417	2,453	2,480	2,469	2,494	2,515	2,534	2,562	2,595	2,622	2,646	2,671	2,692	2,713
85+	3,869	4,092	4,307	4,491	4,690	4,927	5,077	5,231	5,383	5,532	5,678	5,835	5,993	6,143	6,300	6,457
Total	9,471	9,750	10,413	11,073	10,548	10,815	11,107	11,396	11,679	11,964	12,249	12,542	12,831	13,116	13,402	13,687
<i>% of total pop'n</i>	<i>1.2</i>	<i>1.3</i>	<i>1.3</i>	<i>1.4</i>	<i>1.3</i>	<i>1.4</i>	<i>1.4</i>	<i>1.4</i>	<i>1.5</i>	<i>1.5</i>	<i>1.5</i>	<i>1.6</i>	<i>1.6</i>	<i>1.6</i>	<i>1.7</i>	<i>1.7</i>

Note: Excludes Gawler

Table 4.7: Prevalence estimates by age and sex, Southern Adelaide Health Service Region, 2005 to 2020

Age and sex	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
Males																
0-59	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13
60-64	89	95	105	113	117	122	122	123	124	124	125	126	126	126	127	127
65-69	101	104	107	112	117	124	130	136	141	146	150	154	158	161	165	169
70-74	178	177	181	183	190	196	208	220	233	246	262	277	292	305	316	327
75-79	284	281	275	273	268	260	267	276	284	295	305	315	328	341	354	370
80-84	412	422	432	441	450	457	462	466	474	476	477	479	485	489	497	504
85+	525	562	600	638	673	716	747	776	811	842	878	910	938	974	1,002	1,031
Total males	1,601	1,653	1,712	1,772	1,828	1,889	1,949	2,011	2,080	2,143	2,210	2,273	2,339	2,409	2,475	2,542
<i>% of male pop'n</i>	<i>1.0</i>	<i>1.0</i>	<i>1.0</i>	<i>1.1</i>	<i>1.1</i>	<i>1.1</i>	<i>1.2</i>	<i>1.2</i>	<i>1.2</i>	<i>1.3</i>	<i>1.3</i>	<i>1.3</i>	<i>1.4</i>	<i>1.4</i>	<i>1.4</i>	<i>1.5</i>
Females																
0-59	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13
60-64	48	51	56	61	64	67	68	68	69	70	70	71	71	71	72	72
65-69	84	83	86	89	92	96	102	107	111	116	121	125	129	133	137	140
70-74	201	198	201	205	211	216	226	239	252	265	277	291	306	320	334	349
75-79	399	392	381	371	361	354	362	370	378	389	401	409	422	435	447	457
80-84	692	700	704	698	699	686	683	680	681	679	678	680	683	685	692	698
85+	1,314	1,410	1,489	1,573	1,636	1,719	1,767	1,813	1,855	1,893	1,936	1,975	2,011	2,052	2,087	2,128
Total females	2,751	2,847	2,930	3,010	3,075	3,152	3,220	3,289	3,359	3,425	3,495	3,565	3,635	3,709	3,781	3,857
<i>% of female pop'n</i>	<i>0.8</i>	<i>0.8</i>	<i>0.9</i>	<i>0.9</i>	<i>0.9</i>	<i>1.0</i>	<i>1.0</i>	<i>1.0</i>	<i>1.1</i>	<i>1.1</i>	<i>1.1</i>	<i>1.1</i>	<i>1.1</i>	<i>1.2</i>	<i>1.2</i>	<i>1.2</i>
Persons																
0-59	26	26	26	26	26	26	26	26	26	26	26	26	26	26	26	26
60-64	137	146	161	173	181	188	190	191	192	194	195	196	197	198	198	199
65-69	185	187	193	201	209	220	232	243	252	262	270	279	286	294	302	309
70-74	379	375	381	388	401	413	433	459	485	512	539	569	598	625	651	676
75-79	682	673	656	644	629	615	629	647	663	685	706	725	750	776	801	827
80-84	1,104	1,121	1,136	1,140	1,148	1,143	1,145	1,147	1,155	1,155	1,155	1,159	1,168	1,174	1,189	1,202
85+	1,839	1,972	2,090	2,211	2,309	2,435	2,513	2,589	2,666	2,735	2,813	2,885	2,949	3,026	3,089	3,159
Total persons	4,352	4,500	4,642	4,782	4,903	5,040	5,169	5,301	5,439	5,568	5,705	5,838	5,974	6,119	6,256	6,399
<i>% of total pop'n</i>	<i>1.3</i>	<i>1.3</i>	<i>1.4</i>	<i>1.4</i>	<i>1.5</i>	<i>1.5</i>	<i>1.5</i>	<i>1.6</i>	<i>1.6</i>	<i>1.6</i>	<i>1.7</i>	<i>1.7</i>	<i>1.7</i>	<i>1.8</i>	<i>1.8</i>	<i>1.8</i>

Table 4.8: Prevalence estimates by age and sex, Hills Mallee Southern Health Service Region, 2005 to 2020

Age and sex	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
Males																
0-59	4	4	4	4	4	5	5	5	5	5	5	5	5	5	5	5
60-64	41	43	46	50	52	54	54	55	56	57	58	59	59	60	61	61
65-69	49	50	52	54	56	59	60	62	64	66	68	70	73	76	78	81
70-74	78	81	82	84	88	92	97	103	110	116	121	126	130	136	142	147
75-79	112	113	114	114	114	112	118	121	126	131	137	142	148	154	160	165
80-84	137	147	154	164	171	177	181	188	192	196	198	204	205	207	211	215
85+	177	188	204	214	229	252	268	283	299	317	335	352	372	388	405	420
Total males	598	626	656	684	715	749	783	817	852	888	922	958	993	1,026	1,060	1,094
<i>% of male pop'n</i>	<i>1.0</i>	<i>1.1</i>	<i>1.1</i>	<i>1.1</i>	<i>1.2</i>	<i>1.2</i>	<i>1.3</i>	<i>1.3</i>	<i>1.4</i>	<i>1.4</i>	<i>1.5</i>	<i>1.5</i>	<i>1.6</i>	<i>1.6</i>	<i>1.6</i>	<i>1.7</i>
Females																
0-59	4	4	4	4	4	4	4	5	5	5	5	5	5	5	5	5
60-64	21	22	24	26	26	27	27	28	28	29	29	30	30	31	31	32
65-69	35	35	37	38	40	42	44	45	47	48	50	51	53	55	57	60
70-74	77	77	80	83	86	88	94	100	105	112	118	124	129	134	137	142
75-79	129	131	130	130	129	133	138	144	149	153	157	165	170	175	182	189
80-84	201	206	211	216	225	226	231	234	239	244	251	255	261	265	267	269
85+	384	416	448	476	496	529	550	575	599	625	648	669	693	720	747	777
Total females	852	892	933	972	1,008	1,049	1,088	1,130	1,172	1,215	1,258	1,299	1,340	1,384	1,428	1,472
<i>% of female pop'n</i>	<i>1.5</i>	<i>1.5</i>	<i>1.6</i>	<i>1.6</i>	<i>1.7</i>	<i>1.7</i>	<i>1.8</i>	<i>1.8</i>	<i>1.9</i>	<i>1.9</i>	<i>2.0</i>	<i>2.0</i>	<i>2.1</i>	<i>2.2</i>	<i>2.2</i>	<i>2.3</i>
Total																
0-59	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9
60-64	61	65	70	75	78	81	81	83	85	86	87	88	90	91	92	93
65-69	84	85	88	92	96	101	104	108	112	115	118	122	127	131	136	140
70-74	156	158	162	167	174	179	191	203	214	227	239	249	259	270	279	289
75-79	242	244	244	244	243	245	256	265	274	285	294	307	318	329	342	354
80-84	338	353	365	379	397	402	411	422	431	439	449	460	466	472	478	484
85+	561	605	651	690	725	780	818	857	898	942	984	1,021	1,065	1,108	1,152	1,197
Total	1,450	1,518	1,589	1,656	1,723	1,797	1,871	1,948	2,024	2,103	2,180	2,257	2,333	2,410	2,488	2,566
<i>% of total pop'n</i>	<i>1.2</i>	<i>1.3</i>	<i>1.3</i>	<i>1.4</i>	<i>1.4</i>	<i>1.5</i>	<i>1.5</i>	<i>1.6</i>	<i>1.6</i>	<i>1.7</i>	<i>1.7</i>	<i>1.8</i>	<i>1.8</i>	<i>1.9</i>	<i>1.9</i>	<i>2.0</i>

Table 4.9: Prevalence estimates by age and sex, Wakefield Health Service Region, 2005 to 2020

Age and sex	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
Males																
0-59	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4
60-64	33	35	38	40	42	44	44	45	46	47	48	49	50	50	50	50
65-69	41	41	42	43	44	46	47	49	50	52	54	56	58	60	62	64
70-74	69	71	71	73	74	75	80	83	86	89	94	97	101	105	111	115
75-79	97	96	94	94	95	95	100	103	106	108	110	113	116	118	120	125
80-84	121	126	136	142	148	150	152	154	158	163	167	171	171	173	173	173
85+	140	151	158	167	174	187	198	210	220	231	240	250	261	273	287	298
Total males	505	524	544	563	582	601	624	647	670	695	717	740	761	783	807	830
<i>% of male pop'n</i>	<i>1.0</i>	<i>1.0</i>	<i>1.1</i>	<i>1.1</i>	<i>1.1</i>	<i>1.2</i>	<i>1.2</i>	<i>1.2</i>	<i>1.3</i>	<i>1.3</i>	<i>1.4</i>	<i>1.4</i>	<i>1.4</i>	<i>1.5</i>	<i>1.5</i>	<i>1.5</i>
Females																
0-59	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4
60-64	17	18	19	20	21	21	22	22	23	23	24	24	25	25	26	26
65-69	31	31	32	32	33	35	36	37	38	38	39	41	42	44	46	47
70-74	67	67	69	73	74	76	80	85	88	93	96	100	103	106	108	112
75-79	114	113	115	112	113	113	118	122	128	130	134	138	142	145	150	152
80-84	179	187	188	191	195	197	200	208	208	214	216	221	224	227	228	230
85+	356	372	389	409	421	439	455	464	482	496	514	529	545	560	579	593
Total females	767	792	815	841	862	885	915	941	970	999	1,028	1,056	1,085	1,111	1,140	1,166
<i>% of female pop'n</i>	<i>1.5</i>	<i>1.6</i>	<i>1.6</i>	<i>1.7</i>	<i>1.7</i>	<i>1.7</i>	<i>1.8</i>	<i>1.8</i>	<i>1.9</i>	<i>1.9</i>	<i>2.0</i>	<i>2.0</i>	<i>2.1</i>	<i>2.1</i>	<i>2.1</i>	<i>2.2</i>
Persons																
0-59	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8
60-64	51	52	57	60	63	65	66	67	69	70	72	73	74	75	76	77
65-69	71	72	74	75	77	81	83	86	88	91	94	96	100	104	108	112
70-74	136	138	140	146	148	152	160	168	174	182	190	197	204	211	219	227
75-79	211	210	209	207	209	208	218	225	234	239	245	251	259	263	270	278
80-84	300	313	324	333	343	347	352	362	366	377	384	392	395	400	401	404
85+	496	524	547	576	595	626	652	674	702	727	754	779	806	833	865	891
Total persons	1,272	1,316	1,359	1,404	1,444	1,487	1,539	1,588	1,640	1,694	1,745	1,796	1,847	1,894	1,947	1,995
<i>% of total pop'n</i>	<i>1.3</i>	<i>1.3</i>	<i>1.3</i>	<i>1.4</i>	<i>1.4</i>	<i>1.4</i>	<i>1.5</i>	<i>1.5</i>	<i>1.6</i>	<i>1.6</i>	<i>1.7</i>	<i>1.7</i>	<i>1.7</i>	<i>1.8</i>	<i>1.8</i>	<i>1.9</i>

Note: Includes Gawler

Table 4.10: Prevalence estimates by age and sex, South East Health Service Region, 2005 to 2020

Age and sex	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
Males																
0-59	3	3	2	2	2	2	2	2	2	2	2	2	2	2	2	2
60-64	17	18	20	21	22	23	24	24	25	25	25	26	26	26	26	25
65-69	21	21	21	22	23	24	25	26	27	28	28	30	31	32	33	34
70-74	33	33	34	35	36	39	40	42	44	46	49	50	53	55	57	59
75-79	49	49	49	48	48	45	47	49	51	53	56	58	59	61	64	65
80-84	58	62	66	67	71	74	76	77	78	78	77	78	80	81	84	88
85+	78	81	84	90	96	99	104	110	115	120	126	131	136	140	143	146
Total males	259	267	277	286	298	306	319	330	341	353	364	375	387	398	409	420
<i>% of male pop'n</i>	<i>0.8</i>	<i>0.8</i>	<i>0.9</i>	<i>0.9</i>	<i>1.0</i>	<i>1.0</i>	<i>1.0</i>	<i>1.1</i>	<i>1.1</i>	<i>1.2</i>	<i>1.2</i>	<i>1.2</i>	<i>1.3</i>	<i>1.3</i>	<i>1.4</i>	<i>1.4</i>
Females																
0-59	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
60-64	9	10	10	11	11	11	11	11	12	12	12	13	13	13	13	13
65-69	15	16	17	17	18	18	19	19	19	19	20	21	22	23	23	24
70-74	36	35	36	37	37	38	41	44	47	49	51	52	53	54	55	57
75-79	62	63	62	63	62	61	62	64	64	65	67	70	73	76	79	79
80-84	99	100	104	103	106	106	108	109	113	114	114	112	113	112	111	112
85+	189	199	204	215	225	237	243	251	255	266	271	280	287	297	305	310
Total females	413	425	436	448	461	474	486	500	512	528	538	550	563	575	588	598
<i>% of female pop'n</i>	<i>1.3</i>	<i>1.4</i>	<i>1.4</i>	<i>1.5</i>	<i>1.5</i>	<i>1.6</i>	<i>1.6</i>	<i>1.7</i>	<i>1.7</i>	<i>1.8</i>	<i>1.8</i>	<i>1.9</i>	<i>1.9</i>	<i>2.0</i>	<i>2.0</i>	<i>2.1</i>
Total																
0-59	5	5	5	5	5	5	5	5	5	5	5	4	4	4	4	4
60-64	27	28	30	32	33	34	35	36	37	37	38	38	38	38	39	38
65-69	37	37	38	40	41	43	44	45	46	47	49	51	52	55	56	58
70-74	69	68	70	71	73	77	82	86	91	96	99	102	106	108	112	116
75-79	111	112	111	112	109	106	109	113	115	118	124	128	133	137	143	145
80-84	157	162	169	170	177	180	184	185	191	192	191	190	192	193	195	200
85+	267	279	289	305	320	336	347	361	370	386	397	411	424	437	448	456
Total	672	692	713	734	759	781	805	831	854	881	902	925	949	973	997	1,018
<i>% of total pop'n</i>	<i>1.1</i>	<i>1.1</i>	<i>1.1</i>	<i>1.2</i>	<i>1.2</i>	<i>1.3</i>	<i>1.3</i>	<i>1.4</i>	<i>1.4</i>	<i>1.5</i>	<i>1.5</i>	<i>1.5</i>	<i>1.6</i>	<i>1.6</i>	<i>1.7</i>	<i>1.7</i>

Table 4.11: Prevalence estimates by age and sex, Northern and Far Western Health Service Region, 2005 to 2020

Age and sex	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
Males																
0-59	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
60-64	15	15	15	16	16	17	17	17	18	18	17	17	17	17	17	17
65-69	17	18	18	18	19	19	19	19	19	19	20	20	21	21	22	22
70-74	25	25	26	27	28	29	31	32	33	34	35	35	36	37	38	40
75-79	30	32	33	33	33	32	33	35	36	38	39	41	42	42	43	44
80-84	35	36	37	38	42	44	48	50	51	52	52	52	54	56	56	57
85+	41	43	45	48	49	53	55	58	60	64	68	73	75	78	81	84
Total males	166	171	176	183	189	197	205	213	220	227	234	241	247	253	259	265
<i>% of male pop'n</i>	<i>0.6</i>	<i>0.7</i>	<i>0.7</i>	<i>0.7</i>	<i>0.7</i>	<i>0.8</i>	<i>0.8</i>	<i>0.9</i>	<i>0.9</i>	<i>0.9</i>	<i>1.0</i>	<i>1.0</i>	<i>1.0</i>	<i>1.1</i>	<i>1.1</i>	<i>1.2</i>
Females																
0-59	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
60-64	7	7	7	8	8	8	8	8	8	8	8	8	8	8	8	8
65-69	12	12	12	12	12	12	13	13	13	14	14	14	14	14	14	15
70-74	24	23	24	26	27	28	29	29	30	31	32	33	34	35	36	37
75-79	36	37	38	38	37	37	38	41	43	45	46	46	46	47	47	48
80-84	56	56	56	56	60	60	63	66	68	68	70	70	73	75	77	77
85+	95	102	106	108	114	118	122	122	124	132	135	141	146	148	152	156
Total females	231	239	245	250	259	265	274	281	288	299	307	315	324	329	336	342
<i>% of female pop'n</i>	<i>1.0</i>	<i>1.0</i>	<i>1.0</i>	<i>1.1</i>	<i>1.1</i>	<i>1.1</i>	<i>1.2</i>	<i>1.2</i>	<i>1.3</i>	<i>1.3</i>	<i>1.4</i>	<i>1.4</i>	<i>1.5</i>	<i>1.5</i>	<i>1.6</i>	<i>1.6</i>
Total																
0-59	4	4	4	4	4	4	4	4	4	4	4	4	4	4	3	3
60-64	21	21	23	24	25	25	25	26	26	26	25	25	25	25	25	25
65-69	29	29	29	30	30	31	31	32	32	33	33	34	35	36	36	37
70-74	49	49	51	53	55	57	60	61	63	65	67	69	70	72	74	76
75-79	66	69	71	71	70	69	71	76	80	82	85	88	88	89	90	92
80-84	91	92	93	95	101	105	110	116	120	120	123	122	127	131	133	133
85+	136	146	151	156	163	171	177	179	184	196	203	214	221	225	233	241
Total	397	410	421	433	448	462	479	494	508	526	540	556	570	582	595	607
<i>% of total pop'n</i>	<i>0.8</i>	<i>0.8</i>	<i>0.9</i>	<i>0.9</i>	<i>0.9</i>	<i>1.0</i>	<i>1.0</i>	<i>1.0</i>	<i>1.1</i>	<i>1.1</i>	<i>1.2</i>	<i>1.2</i>	<i>1.3</i>	<i>1.3</i>	<i>1.4</i>	<i>1.4</i>

Table 4.12: Prevalence estimates by age and sex, Eyre Health Service Region, 2005 to 2020

Age and sex	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
Males																
0-59	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
60-64	11	11	12	13	13	13	14	14	14	14	15	15	15	16	16	16
65-69	12	13	13	13	14	15	15	16	16	16	17	17	18	18	19	20
70-74	19	18	19	20	21	22	23	25	26	28	29	31	31	32	33	34
75-79	28	29	28	27	26	26	25	27	29	30	32	33	35	36	38	39
80-84	36	36	40	41	42	42	43	43	42	43	42	42	44	47	48	49
85+	50	52	53	55	58	62	65	69	72	73	76	79	80	83	86	88
Total males	158	161	166	171	175	181	188	194	200	206	212	218	225	234	240	247
<i>% of male pop'n</i>	<i>0.9</i>	<i>0.9</i>	<i>0.9</i>	<i>0.9</i>	<i>1.0</i>	<i>1.0</i>	<i>1.0</i>	<i>1.1</i>	<i>1.1</i>	<i>1.1</i>	<i>1.2</i>	<i>1.2</i>	<i>1.2</i>	<i>1.3</i>	<i>1.3</i>	<i>1.3</i>
Females																
0-59	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
60-64	5	5	6	6	6	6	7	7	7	7	7	7	7	8	8	8
65-69	8	8	9	9	10	10	11	11	11	11	12	12	13	13	14	14
70-74	19	18	18	19	20	20	21	23	24	26	28	28	29	30	31	32
75-79	35	35	34	33	32	32	33	33	34	35	36	37	38	40	41	44
80-84	54	55	58	59	60	60	61	61	61	61	62	61	59	61	62	61
85+	107	115	119	124	130	137	142	148	152	156	162	168	175	176	178	184
Total females	229	239	245	252	259	267	276	284	290	298	307	315	323	329	335	344
<i>% of female pop'n</i>	<i>1.4</i>	<i>1.4</i>	<i>1.4</i>	<i>1.5</i>	<i>1.5</i>	<i>1.5</i>	<i>1.6</i>	<i>1.6</i>	<i>1.7</i>	<i>1.7</i>	<i>1.8</i>	<i>1.8</i>	<i>1.8</i>	<i>1.9</i>	<i>1.9</i>	<i>1.9</i>
Total																
0-59	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3
60-64	16	17	18	19	19	20	20	20	21	21	22	22	23	23	24	24
65-69	20	21	22	23	24	25	26	27	27	28	28	29	30	31	33	34
70-74	37	36	37	39	41	41	44	47	50	53	57	59	61	62	64	66
75-79	63	64	62	60	58	58	58	60	63	65	67	70	73	76	79	83
80-84	90	92	97	100	101	102	104	105	104	104	104	103	104	108	110	110
85+	157	167	173	179	188	199	208	216	223	229	238	248	255	260	263	272
Total	387	400	411	423	434	448	463	478	491	504	520	534	548	563	575	591
<i>% of total pop'n</i>	<i>1.1</i>	<i>1.1</i>	<i>1.2</i>	<i>1.2</i>	<i>1.2</i>	<i>1.3</i>	<i>1.3</i>	<i>1.3</i>	<i>1.4</i>	<i>1.4</i>	<i>1.5</i>	<i>1.5</i>	<i>1.5</i>	<i>1.6</i>	<i>1.6</i>	<i>1.6</i>

Table 4.13: Prevalence estimates by age and sex, Mid North Health Service Region, 2005 to 2020

Age and sex	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
Males																
0-59	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
60-64	11	11	12	13	13	13	13	13	13	13	13	13	13	13	13	12
65-69	14	14	14	14	15	15	15	16	16	16	16	16	17	17	17	18
70-74	22	22	22	22	23	25	25	26	28	29	30	31	32	33	34	34
75-79	30	31	31	31	30	30	31	32	33	34	35	36	36	38	39	40
80-84	42	43	45	47	46	45	47	47	48	49	50	50	50	50	51	52
85+	49	54	55	58	63	66	69	72	75	77	79	83	86	88	91	92
Total males	170	176	181	186	191	195	202	207	214	219	225	230	235	240	245	248
<i>% of male pop'n</i>	<i>1.1</i>	<i>1.2</i>	<i>1.2</i>	<i>1.2</i>	<i>1.3</i>	<i>1.3</i>	<i>1.4</i>	<i>1.4</i>	<i>1.5</i>	<i>1.5</i>	<i>1.6</i>	<i>1.6</i>	<i>1.7</i>	<i>1.7</i>	<i>1.8</i>	<i>0.9</i>
Females																
0-59	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
60-64	5	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6
65-69	10	10	10	10	10	11	11	11	11	11	11	11	12	12	12	12
70-74	21	22	21	22	22	23	24	25	27	28	29	30	31	31	31	31
75-79	42	39	39	37	36	36	37	37	38	39	40	41	42	43	44	46
80-84	60	63	64	67	68	68	66	67	66	66	66	68	65	66	66	67
85+	119	125	133	138	142	147	154	158	163	166	170	171	177	180	182	186
Total females	258	266	274	282	286	293	299	306	313	317	324	328	334	339	343	349
<i>% of female pop'n</i>	<i>1.7</i>	<i>1.8</i>	<i>1.8</i>	<i>1.9</i>	<i>1.9</i>	<i>2.0</i>	<i>2.1</i>	<i>2.1</i>	<i>2.2</i>	<i>2.2</i>	<i>2.3</i>	<i>2.4</i>	<i>2.4</i>	<i>2.5</i>	<i>2.5</i>	<i>2.6</i>
Total																
0-59	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
60-64	16	17	18	19	19	19	19	19	19	19	19	19	19	19	19	19
65-69	23	23	23	25	25	26	27	27	27	28	27	28	28	29	29	30
70-74	43	43	43	44	46	47	49	51	54	56	59	61	63	64	65	65
75-79	72	71	70	68	67	66	68	69	71	73	76	76	78	81	83	86
80-84	102	107	110	114	114	114	113	114	114	115	116	118	116	116	117	119
85+	168	179	187	196	205	214	223	230	239	243	249	254	263	268	273	278
Total	428	442	454	468	478	488	501	513	527	536	548	558	569	579	588	597
<i>% of total pop'n</i>	<i>1.4</i>	<i>1.5</i>	<i>1.5</i>	<i>1.6</i>	<i>1.6</i>	<i>1.6</i>	<i>1.7</i>	<i>1.8</i>	<i>1.8</i>	<i>1.9</i>	<i>1.9</i>	<i>2.0</i>	<i>2.0</i>	<i>2.1</i>	<i>2.2</i>	<i>2.2</i>

Table 4.14: Prevalence estimates by age and sex, Riverland Health Service Region, 2005 to 2020

Age and sex	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
Males																
0-59	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
60-64	10	10	11	12	12	13	13	13	13	13	13	13	13	13	13	13
65-69	11	11	11	12	12	12	13	13	14	14	15	15	15	16	16	16
70-74	19	19	20	20	20	21	22	22	23	24	25	26	27	28	30	31
75-79	29	28	27	27	27	26	27	28	29	29	30	31	32	32	32	33
80-84	36	38	38	39	39	41	41	42	43	44	43	43	44	44	46	46
85+	47	49	53	55	57	59	62	64	65	67	71	73	75	78	79	81
Total males	154	157	162	166	169	174	179	183	188	193	198	203	208	213	217	222
<i>% of male pop'n</i>	<i>0.9</i>	<i>0.9</i>	<i>1.0</i>	<i>1.0</i>	<i>1.0</i>	<i>1.0</i>	<i>1.1</i>	<i>1.1</i>	<i>1.1</i>	<i>1.2</i>	<i>1.2</i>	<i>1.2</i>	<i>1.3</i>	<i>1.3</i>	<i>1.3</i>	<i>1.4</i>
Females																
0-59	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
60-64	5	5	5	5	6	6	6	6	6	6	6	6	6	6	7	7
65-69	8	8	8	9	9	9	9	9	9	10	10	11	11	12	12	12
70-74	19	19	20	20	20	21	22	23	24	24	25	26	26	27	28	29
75-79	35	34	32	32	32	32	32	34	34	35	36	37	38	39	39	39
80-84	59	59	61	60	59	58	56	54	55	56	57	58	60	59	59	60
85+	110	117	122	130	137	142	144	150	153	156	158	157	156	160	165	168
Total females	238	244	250	257	263	268	272	277	283	289	293	296	298	304	311	316
<i>% of female pop'n</i>	<i>1.4</i>	<i>1.5</i>	<i>1.5</i>	<i>1.6</i>	<i>1.6</i>	<i>1.6</i>	<i>1.7</i>	<i>1.7</i>	<i>1.8</i>	<i>1.8</i>	<i>1.8</i>	<i>1.9</i>	<i>1.9</i>	<i>1.9</i>	<i>2.0</i>	<i>2.0</i>
Persons																
0-59	3	3	3	3	3	3	3	3	3	3	2	2	2	2	2	2
60-64	14	15	16	17	18	19	19	19	19	19	19	20	20	20	20	20
65-69	19	20	20	20	21	21	22	23	23	24	25	26	27	28	28	29
70-74	39	39	40	40	40	42	44	45	47	48	50	52	54	55	58	60
75-79	64	62	60	59	59	58	60	62	63	65	67	69	70	71	71	73
80-84	95	97	99	98	98	99	98	96	98	100	99	101	104	103	105	106
85+	158	166	175	186	194	201	206	214	218	223	229	229	231	238	244	249
Total persons	392	401	412	423	433	442	450	461	471	481	491	498	507	517	528	538
<i>% of total pop'n</i>	<i>1.2</i>	<i>1.2</i>	<i>1.2</i>	<i>1.3</i>	<i>1.3</i>	<i>1.3</i>	<i>1.4</i>	<i>1.4</i>	<i>1.4</i>	<i>1.5</i>	<i>1.5</i>	<i>1.5</i>	<i>1.6</i>	<i>1.6</i>	<i>1.7</i>	<i>1.7</i>

**Table 4.15: Prevalence estimates by metropolitan local government area (excluding Gawler), 2005 to 2020
on this page 2005 to 2009**

LGA	2005			2006			2007			2008			2009		
	Males	Females	Persons	Males	Females	Persons	Males	Females	Persons	Males	Females	Persons	Males	Females	Persons
Adelaide	61	109	171	64	110	174	66	112	178	69	113	182	71	115	
Adelaide Hills [part]	76	102	178	79	107	186	83	111	194	87	116	203	91	120	
Burnside	260	507	768	268	518	787	275	529	804	281	534	815	291	542	
Campbelltown	260	423	683	270	439	709	283	454	737	293	471	764	305	485	
Charles Sturt	611	973	1,584	626	995	1,621	641	1,017	1,658	654	1,037	1,691	668	1,055	
Holdfast	256	534	790	260	539	798	265	546	811	269	549	818	274	551	
Marion	447	754	1,202	461	782	1,244	478	806	1,283	494	830	1,324	507	848	
Norw'd/Payn'm/StPtrs	192	424	616	196	425	621	200	426	626	205	429	634	210	432	
Mitcham	352	664	1,016	360	679	1,040	370	690	1,060	380	702	1,082	390	710	
Onkaparinga	545	799	1,344	572	847	1,419	600	888	1,488	629	929	1,558	657	965	
Port Adelaide/Enfield	525	872	1,397	534	895	1,429	546	913	1,459	552	927	1,479	562	942	
Playford	230	338	568	240	353	594	250	371	620	260	387	646	271	401	
Prospect	84	160	243	87	161	248	88	163	251	91	163	254	92	166	
Salisbury	338	487	825	358	514	872	378	536	914	397	559	956	415	582	
Tea Tree Gully	321	478	799	339	506	845	359	533	892	379	561	940	400	585	
Unley	182	413	596	187	415	602	191	418	609	197	422	619	202	425	
Walkerville	42	86	129	42	86	128	44	85	129	44	86	130	45	86	
West Torrens	335	579	914	344	591	935	352	604	956	360	613	973	368	620	

**Table 4.15: Prevalence estimates by metropolitan local government area (excluding Gawler), 2005 to 2020 ... cont
on this page 2010 to 2014**

LGA	2010			2011			2012			2013			2014		
	Males	Females	Persons	Males	Females	Persons	Males	Females	Persons	Males	Females	Persons	Males	Females	Persons
Adelaide	74	117	191	77	120	197	80	123	203	83	126	210	87	130	
Adelaide Hills [part]	95	126	221	99	130	229	104	134	238	108	140	248	113	145	
Burnside	300	551	851	311	558	869	321	567	887	330	573	903	342	582	
Campbelltown	314	497	811	324	511	836	337	527	864	348	543	891	359	557	
Charles Sturt	681	1,071	1,751	695	1,088	1,784	709	1,101	1,810	725	1,115	1,841	739	1,130	
Holdfast	279	558	837	283	558	841	289	561	849	296	565	860	303	568	
Marion	522	869	1,391	538	889	1,427	553	908	1,462	571	925	1,495	585	939	
Norw'd/Payn'm/StPtrs	216	436	652	222	438	661	229	442	670	235	447	682	241	452	
Mitcham	400	720	1,120	410	728	1,138	421	736	1,158	433	745	1,179	443	754	
Onkaparinga	688	1,005	1,693	717	1,046	1,763	747	1,084	1,832	780	1,125	1,905	812	1,164	
Port Adelaide/Enfield	574	953	1,527	587	967	1,554	598	978	1,577	608	988	1,596	619	1,001	
Playford	282	417	699	296	438	734	309	458	767	320	475	796	331	495	
Prospect	94	167	262	97	167	264	99	168	267	101	170	270	103	171	
Salisbury	436	606	1,042	460	637	1,097	483	668	1,151	505	697	1,202	527	726	
Tea Tree Gully	423	613	1,036	443	643	1,087	465	672	1,137	490	700	1,190	512	728	
Unley	207	429	636	212	431	643	217	433	651	223	438	660	228	441	
Walkerville	46	86	132	48	86	134	49	87	136	50	87	137	51	88	
West Torrens	376	628	1,004	383	637	1,020	391	646	1,037	398	654	1,052	406	660	

**Table 4.15: Prevalence estimates by metropolitan local government area (excluding Gawler), 2005 to 2020 ... cont
on this page 2015 to 2019**

LGA	2015			2016			2017			2018			2019		
	Males	Females	Persons	Males	Females	Persons	Males	Females	Persons	Males	Females	Persons	Males	Females	Persons
Adelaide	90	134	225	94	139	233	98	145	243	103	150	253	107	155	262
Adelaide Hills [part]	117	151	268	122	157	279	127	163	290	132	170	303	137	176	285
Burnside	353	591	944	364	599	964	375	610	985	386	619	1,005	397	630	1,012
Campbelltown	369	571	940	381	583	964	391	597	988	402	611	1,013	413	622	1,025
Charles Sturt	751	1,141	1,892	764	1,155	1,919	778	1,165	1,943	793	1,179	1,972	806	1,193	1,999
Holdfast	325	535	861	330	544	875	336	552	888	341	558	900	348	565	913
Holdfast	311	572	883	317	575	891	324	580	904	333	585	918	342	591	920
Marion	598	954	1,553	612	968	1,579	626	981	1,607	642	993	1,635	655	1,007	1,662
Norw'd/Payn'm/StPtr s	248	458	706	253	464	717	260	471	731	266	479	745	272	485	757
Mitcham	455	764	1,219	467	774	1,241	479	786	1,265	493	799	1,292	504	811	1,315
Onkaparinga	846	1,205	2,051	878	1,249	2,127	909	1,289	2,198	941	1,332	2,273	974	1,371	2,345
Port Adelaide/Enfield	629	1,010	1,638	639	1,024	1,663	649	1,034	1,683	659	1,041	1,700	672	1,054	1,726
Playford	342	513	855	354	531	885	366	545	912	375	558	934	386	574	950
Prospect	106	173	279	109	175	284	112	177	289	115	179	294	117	182	296
Salisbury	552	757	1,309	578	789	1,367	602	821	1,423	625	851	1,477	648	881	1,525
Tea Tree Gully	536	754	1,290	557	780	1,336	578	806	1,384	600	833	1,433	621	856	1,489
Unley	235	446	681	242	451	693	247	457	704	253	464	717	259	471	726
Walkerville	52	89	142	54	90	144	56	91	147	57	92	149	58	93	151

**Table 4.15: Prevalence estimates by metropolitan local government area (excluding Gawler), 2005 to 2020 ... cont
by five year breakdown**

LGA	2005			2010			2015			2020		
	Males	Females	Persons	Males	Females	Persons	Males	Females	Persons	Males	Females	Persons
Adelaide	61	109	171	74	117	191	90	134	225	111	160	271
Adelaide Hills [part]	76	102	178	95	126	221	117	151	268	142	183	325
Burnside	260	507	768	300	551	851	353	591	944	409	640	1,049
Campbelltown	260	423	683	314	497	811	369	571	940	422	633	1,055
Charles Sturt	611	973	1,584	681	1,071	1,751	751	1,141	1,892	820	1,203	2,024
Holdfast	256	534	790	279	558	837	311	572	883	351	597	947
Marion	447	754	1,202	522	869	1,391	598	954	1,553	669	1,020	1,690
Norw'd/Payn'm/StPtrs	192	424	616	216	436	652	248	458	706	279	493	772
Mitcham	352	664	1,016	400	720	1,120	455	764	1,219	515	826	1,341
Onkaparinga	545	799	1,344	688	1,005	1,693	846	1,205	2,051	1,006	1,414	2,420
Port Adelaide/Enfield	525	872	1,397	574	953	1,527	629	1,010	1,638	684	1,062	1,746
Playford	230	338	568	282	417	699	342	513	855	395	588	983
Prospect	84	160	243	94	167	262	106	173	279	120	185	305
Salisbury	338	487	825	436	606	1,042	552	757	1,309	672	913	1,585
Tea Tree Gully	321	478	799	423	613	1,036	536	754	1,290	642	881	1,523
Unley	182	413	596	207	429	636	235	446	681	266	477	743
Walkerville	42	86	129	46	86	132	52	89	142	59	94	154
West Torrens	335	579	914	376	628	1,004	413	667	1,080	450	701	1,152

5. Dementia prevalence estimates for HACC regions by age and sex; and totals for metropolitan local government areas

Estimates of the prevalence of dementia by HACC Region from 2005 to 2020 are shown in Table 5.1.

Estimates of prevalence by age and sex for HACC Regions are shown in Tables 5.2 to 5.15: Table 5.16 shows the estimates for each local government area.

Table 5.1: Prevalence estimates by HACC Region, South Australia, 2005 to 2020

Region	2005	2006	2007	2008	2009	2010	2015	2020
Metro North	2,437	2,567	2,694	2,821	2,943	3,074	3,806	4,496
% of population	0.8	0.8	0.9	0.9	0.9	1.0	1.2	1.4
% of estimate	13.0	13.2	13.5	13.7	13.9	14.1	15.3	16.1
% increase over previous year		5.3	5.0	4.7	4.3	4.5	3.9	3.1
Metro West	3,191	3,260	3,328	3,385	3,442	3,494	3,750	3,996
% of population	1.5	1.5	1.6	1.6	1.6	1.7	1.8	1.9
% of estimate	17.0	16.8	16.6	16.4	16.3	16.1	15.1	14.3
% increase over previous year		2.2	2.1	1.7	1.7	1.5	1.2	1.3
Metro East	3,492	3,577	3,664	3,740	3,825	3,908	4,364	4,857
% of population	1.5	1.5	1.5	1.5	1.6	1.6	1.7	1.9
% of estimate	18.6	18.4	18.3	18.1	18.1	18.0	17.5	17.3
% increase over previous year		2.4	2.4	2.1	2.3	2.2	2.2	2.0
Metro South	4,948	5,102	5,252	5,401	5,530	5,676	6,386	7,142
% of population	1.3	1.3	1.4	1.4	1.4	1.4	1.6	1.8
% of estimate	26.3	26.3	26.2	26.2	26.1	26.1	25.7	25.5
% increase over previous year		3.1	2.9	2.8	2.4	2.7	2.4	2.2
Hills Mallee Southern	1,450	1,518	1,589	1,656	1,723	1,797	2,180	2,566
% of population	1.2	1.3	1.3	1.4	1.4	1.5	1.7	2.0
% of estimate	7.7	7.8	7.9	8.0	8.1	8.3	8.8	9.2
% increase over previous year		4.7	4.7	4.2	4.0	4.3	3.7	3.1
Wakefield	1,027	1,060	1,091	1,126	1,156	1,190	1,393	1,591
% of population	1.3	1.3	1.3	1.4	1.6	1.4	1.7	1.9
% of estimate	5.5	5.5	5.4	5.5	5.5	5.5	5.6	5.7
% increase over previous year		3.1	3.0	3.2	2.7	2.9	3.0	2.5
South East	672	692	713	734	759	781	902	1,018
% of population	1.1	1.1	1.1	1.2	1.2	1.3	1.5	1.7
% of estimate	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6
% increase over previous year		3.0	3.0	3.0	3.4	2.8	2.4	2.1
Northern & Far Western	397	410	421	433	448	462	540	607
% of population	0.8	0.8	0.9	0.9	0.9	1.0	1.2	1.4
% of estimate	2.1	2.1	2.1	2.1	2.1	2.1	2.2	2.2
% increase over previous year		3.4	2.7	2.9	3.4	3.0	2.8	2.1
Eyre	387	400	411	423	434	448	520	591
% of population	1.1	1.1	1.2	1.2	1.2	1.3	1.5	1.6
% of estimate	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1
% increase over previous year		3.4	2.9	2.8	2.7	3.3	3.2	2.8
Mid North	428	442	454	468	478	488	548	597
% of population	1.4	1.5	1.5	1.6	1.6	1.6	1.9	2.2
% of estimate	2.3	2.3	2.3	2.3	2.3	2.2	2.2	2.1
% increase over previous year		3.3	2.8	2.9	2.1	2.2	2.3	1.7
Riverland	392	401	412	423	433	442	491	538
% of population	1.2	1.2	1.2	1.3	1.3	1.3	1.5	1.7
% of estimate	2.1	2.1	2.1	2.1	2.0	2.0	2.0	1.9
% increase over previous year		2.5	2.6	2.7	2.3	2.1	2.0	1.9

Country SA	4,752	4,923	5,092	5,263	5,431	5,608	6,574	7,509
% of population	1.1	1.1	1.2	1.2	1.3	1.3	1.5	1.7
% of estimate	25.3	25.3	25.4	25.5	25.7	25.8	26.4	26.8
% increase over previous year		3.6	3.4	3.4	3.2	3.3	3.0	2.5
								28,00
South Australia	18,820	19,430	20,030	20,610	21,170	21,760	24,880	0
% of population	1.2	1.3	1.3	1.3	1.4	1.4	1.6	1.8
% of estimate	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
% increase over previous year		3.2	3.1	2.9	2.7	2.8	2.6	2.3

Table 5.2: Prevalence estimates by age and sex, South Australia, 2005 to 2020

Age and sex	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
Males																
0-59	60	60	60	60	60	60	60	60	60	60	60	60	60	60	60	60
60-64	430	450	490	520	540	560	564	568	572	576	580	584	588	592	596	600
65-69	520	530	540	560	580	600	619	638	657	676	695	714	733	752	771	790
70-74	870	880	900	920	950	980	1,032	1,084	1,136	1,188	1,240	1,292	1,344	1,396	1,448	1,500
75-79	1,310	1,300	1,280	1,270	1,260	1,240	1,287	1,334	1,381	1,428	1,475	1,522	1,569	1,616	1,663	1,710
80-84	1,760	1,820	1,890	1,950	2,000	2,030	2,060	2,090	2,120	2,150	2,180	2,210	2,240	2,270	2,300	2,330
85+	2,180	2,330	2,470	2,600	2,750	2,940	3,081	3,222	3,363	3,504	3,645	3,786	3,927	4,068	4,209	4,350
Total males	7,130	7,370	7,630	7,880	8,140	8,410	8,703	8,996	9,289	9,582	9,875	10,168	10,461	10,754	11,047	11,340
<i>% of M pop'n</i>	<i>0.9</i>	<i>1.0</i>	<i>1.0</i>	<i>1.0</i>	<i>1.1</i>	<i>1.1</i>	<i>1.1</i>	<i>1.2</i>	<i>1.2</i>	<i>1.2</i>	<i>1.3</i>	<i>1.3</i>	<i>1.3</i>	<i>1.4</i>	<i>1.4</i>	<i>1.4</i>
Females																
0-59	60	60	60	60	60	60	60	60	60	60	60	60	60	60	60	60
60-64	230	240	260	280	290	300	303	306	309	312	315	318	321	324	327	330
65-69	410	410	420	430	440	460	477	494	511	528	545	562	579	596	613	630
70-74	940	930	950	980	1,010	1,030	1,083	1,136	1,189	1,242	1,295	1,348	1,401	1,454	1,507	1,560
75-79	1,730	1,720	1,690	1,660	1,630	1,620	1,667	1,714	1,761	1,808	1,855	1,902	1,949	1,996	2,043	2,090
80-84	2,850	2,900	2,920	2,930	2,960	2,930	2,951	2,972	2,993	3,014	3,035	3,056	3,077	3,098	3,119	3,140
85+	5,470	5,800	6,100	6,390	6,640	6,950	7,140	7,330	7,520	7,710	7,900	8,090	8,280	8,470	8,660	8,850
Total females	11,690	12,060	12,400	12,730	13,030	13,350	13,681	14,012	14,343	14,674	15,005	15,336	15,667	15,998	16,329	16,660
<i>% of F pop'n</i>	<i>1.5</i>	<i>1.5</i>	<i>1.6</i>	<i>1.6</i>	<i>1.7</i>	<i>1.7</i>	<i>1.7</i>	<i>1.8</i>	<i>1.8</i>	<i>1.8</i>	<i>1.9</i>	<i>1.9</i>	<i>2.0</i>	<i>2.0</i>	<i>2.0</i>	<i>2.1</i>
Total																
0-59	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120
60-64	660	690	707	800	830	860	867	874	881	888	895	902	909	916	923	930
65-69	930	940	946	990	1,020	1,060	1,096	1,132	1,168	1,204	1,240	1,276	1,312	1,348	1,384	1,420
70-74	1,810	1,810	1,823	1,900	1,960	2,010	2,115	2,220	2,325	2,430	2,535	2,640	2,745	2,850	2,955	3,060
75-79	3,040	3,020	3,015	2,930	2,890	2,860	2,954	3,048	3,142	3,236	3,330	3,424	3,518	3,612	3,706	3,800
80-84	4,610	4,720	4,760	4,880	4,960	4,960	5,011	5,062	5,113	5,164	5,215	5,266	5,317	5,368	5,419	5,470
85+	7,650	8,130	8,238	8,990	9,390	9,890	10,221	10,552	10,883	11,214	11,545	11,876	12,207	12,538	12,869	13,200
Total persons	18,820	19,430	20,030	20,610	21,170	21,760	22,384	23,008	23,632	24,256	24,880	25,504	26,128	26,752	27,376	28,000
<i>% of Total pop'n</i>	<i>1.2</i>	<i>1.3</i>	<i>1.3</i>	<i>1.3</i>	<i>1.4</i>	<i>1.4</i>	<i>1.4</i>	<i>1.5</i>	<i>1.5</i>	<i>1.5</i>	<i>1.6</i>	<i>1.6</i>	<i>1.7</i>	<i>1.7</i>	<i>1.7</i>	<i>1.8</i>

Table 5.3: Prevalence estimates by age and sex, metropolitan HACC Regions, 2005 to 2020

Age and sex	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
Males																
0-59	44	44	44	44	44	44	44	44	44	44	44	45	44	45	45	45
60-64	298	312	341	362	376	390	392	393	395	397	399	401	397	407	410	413
65-69	362	369	376	389	403	417	431	445	459	472	486	498	502	521	534	546
70-74	616	623	637	652	672	692	728	764	801	837	873	912	938	988	1,024	1,061
75-79	951	939	920	911	902	889	922	956	990	1,023	1,054	1,086	1,106	1,153	1,187	1,219
80-84	1,320	1,358	1,403	1,441	1,471	1,487	1,503	1,519	1,538	1,557	1,581	1,602	1,604	1,646	1,667	1,685
85+	1,622	1,738	1,849	1,946	2,060	2,200	2,301	2,399	2,502	2,602	2,700	2,797	2,853	2,995	3,094	3,199
Total males	5,212	5,383	5,570	5,746	5,928	6,118	6,321	6,520	6,729	6,932	7,137	7,341	7,444	7,755	7,960	8,169
<i>% of male pop'n</i>	<i>1.0</i>	<i>1.0</i>	<i>1.0</i>	<i>1.0</i>	<i>1.1</i>	<i>1.1</i>	<i>1.1</i>	<i>1.2</i>	<i>1.2</i>	<i>1.2</i>	<i>1.3</i>	<i>1.3</i>	<i>1.3</i>	<i>1.4</i>	<i>1.4</i>	<i>1.4</i>
Females																
0-59	44	45	45	45	45	45	45	45	45	45	45	45	44	45	45	45
60-64	163	171	186	201	209	217	219	221	223	224	226	228	226	232	233	235
65-69	297	296	302	309	315	329	341	354	369	383	396	409	414	431	443	454
70-74	691	682	696	716	738	752	788	824	862	897	934	974	1,002	1,058	1,102	1,143
75-79	1,300	1,290	1,263	1,236	1,211	1,199	1,232	1,263	1,296	1,331	1,365	1,394	1,410	1,459	1,488	1,521
80-84	2,181	2,214	2,220	2,222	2,231	2,200	2,212	2,219	2,229	2,240	2,248	2,261	2,248	2,285	2,301	2,316
85+	4,178	4,426	4,657	4,873	5,062	5,292	5,428	5,560	5,696	5,823	5,954	6,092	6,128	6,354	6,481	6,607
Total females	8,856	9,123	9,368	9,601	9,811	10,034	10,265	10,486	10,719	10,942	11,169	11,403	11,471	11,864	12,093	12,322
<i>% of female pop'n</i>	<i>1.6</i>	<i>1.6</i>	<i>1.7</i>	<i>1.4</i>	<i>1.6</i>	<i>1.7</i>	<i>1.8</i>	<i>1.8</i>	<i>1.9</i>	<i>1.9</i>	<i>1.9</i>	<i>2.0</i>	<i>1.9</i>	<i>2.0</i>	<i>2.1</i>	<i>2.1</i>
Persons																
0-59	88	88	89	89	89	89	89	89	89	89	89	90	88	90	90	90
60-64	461	483	527	563	585	607	612	614	617	621	625	628	623	638	643	648
65-69	659	664	678	698	718	745	773	800	828	855	882	907	916	953	977	1,001
70-74	1,307	1,305	1,333	1,367	1,410	1,444	1,515	1,588	1,662	1,734	1,807	1,886	1,940	2,046	2,126	2,204
75-79	2,251	2,228	2,182	2,147	2,112	2,087	2,154	2,219	2,286	2,353	2,419	2,481	2,516	2,612	2,675	2,740
80-84	3,501	3,573	3,624	3,664	3,702	3,687	3,714	3,738	3,767	3,796	3,828	3,863	3,852	3,931	3,967	4,001
85+	5,800	6,165	6,506	6,819	7,122	7,492	7,729	7,958	8,199	8,424	8,655	8,889	8,980	9,349	9,576	9,807
Total persons	14,068	14,507	14,938	15,347	15,739	16,152	16,586	17,006	17,449	17,874	18,306	18,744	18,914	19,619	20,053	20,491
<i>% of Total pop'n</i>	<i>1.3</i>	<i>1.3</i>	<i>1.4</i>	<i>1.4</i>	<i>1.4</i>	<i>1.4</i>	<i>1.5</i>	<i>1.5</i>	<i>1.5</i>	<i>1.6</i>	<i>1.6</i>	<i>1.6</i>	<i>1.6</i>	<i>1.7</i>	<i>1.7</i>	<i>1.8</i>

Note: Includes Gawler

Table 5.4: Prevalence estimates by age and sex, country HACC Regions, 2005 to 2020

Age and sex	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
Males																
0-59	16	16	16	16	16	16	16	16	15	15	15	15	15	15	15	15
60-64	132	138	149	158	165	170	172	174	178	179	181	183	184	185	186	187
65-69	158	161	164	170	176	184	187	192	198	203	209	216	223	231	237	244
70-74	254	257	263	268	278	288	304	320	335	351	367	380	394	408	424	439
75-79	360	361	360	359	359	351	364	378	391	405	421	436	450	462	476	491
80-84	440	461	487	509	529	542	557	571	582	593	599	609	615	624	633	644
85+	558	592	622	653	690	740	780	824	860	903	945	988	1,033	1,073	1,114	1,151
Total males	1,918	1,987	2,060	2,134	2,212	2,292	2,381	2,475	2,560	2,650	2,737	2,827	2,914	2,998	3,087	3,171
<i>% of male pop'n</i>	<i>1.2</i>	<i>1.2</i>	<i>1.3</i>	<i>1.3</i>	<i>1.4</i>	<i>1.4</i>	<i>1.5</i>	<i>1.6</i>	<i>1.6</i>	<i>1.7</i>	<i>1.8</i>	<i>1.9</i>	<i>1.9</i>	<i>2.0</i>	<i>2.1</i>	<i>2.2</i>
Females																
0-59	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15
60-64	66	69	74	79	80	83	83	85	86	88	89	91	91	92	94	95
65-69	113	114	118	121	125	131	136	140	142	145	149	153	159	165	169	176
70-74	249	247	255	264	272	277	295	312	327	346	361	374	385	396	405	417
75-79	430	430	427	424	420	421	436	452	465	477	489	508	522	538	555	569
80-84	669	686	699	708	729	730	739	753	764	775	787	795	803	813	818	824
85+	1,291	1,373	1,443	1,517	1,578	1,658	1,712	1,771	1,823	1,887	1,946	1,998	2,057	2,116	2,179	2,243
Total females	2,834	2,937	3,032	3,128	3,219	3,316	3,416	3,526	3,623	3,732	3,836	3,933	4,035	4,134	4,235	4,338
<i>% of female pop'n</i>	<i>1.3</i>	<i>1.4</i>	<i>1.4</i>	<i>1.5</i>	<i>1.5</i>	<i>1.6</i>	<i>1.6</i>	<i>1.6</i>	<i>1.7</i>	<i>1.7</i>	<i>1.8</i>	<i>1.8</i>	<i>1.9</i>	<i>1.9</i>	<i>2.0</i>	<i>2.0</i>
Persons																
0-59	32	31	31	31	31	31	31	31	30	30	30	30	30	30	30	30
60-64	198	207	223	237	245	253	255	259	264	267	270	273	276	278	281	282
65-69	271	276	283	291	301	315	323	332	340	348	358	369	382	396	407	420
70-74	502	504	517	532	550	566	599	632	662	697	728	755	779	803	829	856
75-79	790	791	787	783	778	772	800	830	856	882	910	944	972	1,000	1,031	1,060
80-84	1,108	1,147	1,186	1,217	1,258	1,272	1,296	1,324	1,346	1,368	1,386	1,404	1,418	1,437	1,452	1,468
85+	1,850	1,965	2,064	2,170	2,268	2,398	2,492	2,595	2,684	2,790	2,891	2,987	3,091	3,189	3,294	3,393
Total persons	4,752	4,924	5,092	5,263	5,431	5,608	5,797	6,001	6,183	6,382	6,573	6,760	6,948	7,132	7,323	7,509
<i>% of Total pop'n</i>	<i>1.1</i>	<i>1.1</i>	<i>1.2</i>	<i>1.2</i>	<i>1.3</i>	<i>1.3</i>	<i>1.3</i>	<i>1.4</i>	<i>1.4</i>	<i>1.5</i>	<i>1.5</i>	<i>1.6</i>	<i>1.6</i>	<i>1.6</i>	<i>1.7</i>	<i>1.7</i>

Note: Excludes Gawler

Table 5.5: Prevalence estimates by age and sex, Metropolitan North HACC Region, 2005 to 2020

Age and sex	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
Males																
0-59	13	13	13	13	13	13	13	13	13	13	13	13	12	13	13	13
60-64	78	82	89	94	99	103	103	103	104	104	105	106	100	108	109	110
65-69	96	98	101	105	108	110	114	117	121	125	129	132	126	138	141	144
70-74	150	155	162	168	176	183	193	203	214	222	230	241	237	260	271	281
75-79	197	203	205	210	214	214	227	240	252	263	274	283	280	302	309	316
80-84	227	239	256	271	281	296	310	321	334	347	358	370	362	392	400	408
85+	221	244	262	280	306	334	356	377	403	427	455	482	467	535	563	591
Total males	982	1,033	1,088	1,140	1,195	1,252	1,316	1,374	1,440	1,501	1,563	1,626	1,585	1,747	1,805	1,863
<i>% of male pop'n</i>	<i>0.6</i>	<i>0.7</i>	<i>0.7</i>	<i>0.8</i>	<i>0.8</i>	<i>0.8</i>	<i>0.9</i>	<i>0.9</i>	<i>1.0</i>	<i>1.0</i>	<i>1.0</i>	<i>1.1</i>	<i>1.0</i>	<i>1.1</i>	<i>1.2</i>	<i>1.2</i>
Females																
0-59	13	13	13	13	13	13	13	13	13	13	13	13	12	13	13	13
60-64	43	45	48	52	54	56	57	57	58	58	59	59	56	60	61	62
65-69	76	76	78	80	82	87	90	93	97	100	103	107	104	113	116	119
70-74	160	163	169	178	187	192	203	214	225	235	247	256	253	278	290	299
75-79	251	259	264	266	269	275	290	301	316	329	340	350	344	370	379	392
80-84	344	362	376	389	405	416	434	449	463	478	491	504	488	526	535	543
85+	569	617	658	702	737	783	826	864	907	947	990	1,037	986	1,120	1,162	1,205
Total females	1,455	1,534	1,607	1,681	1,748	1,821	1,912	1,991	2,078	2,160	2,242	2,326	2,243	2,481	2,556	2,633
<i>% of female pop'n</i>	<i>0.9</i>	<i>1.0</i>	<i>1.0</i>	<i>1.1</i>	<i>1.1</i>	<i>1.1</i>	<i>1.2</i>	<i>1.2</i>	<i>1.3</i>	<i>1.3</i>	<i>1.4</i>	<i>1.4</i>	<i>1.4</i>	<i>1.5</i>	<i>1.5</i>	<i>1.6</i>
Total																
0-59	25	25	25	26	26	26	26	26	26	26	26	26	25	26	26	26
60-64	121	127	138	147	153	159	160	161	161	163	164	165	155	168	170	171
65-69	171	174	179	185	190	197	204	210	218	226	232	239	230	251	257	263
70-74	310	318	331	346	363	375	395	417	439	457	477	496	491	538	561	580
75-79	448	462	469	476	482	489	517	541	568	592	613	633	623	673	688	708
80-84	571	601	632	660	687	712	743	770	797	825	849	875	851	918	936	951
85+	790	860	921	982	1,042	1,117	1,182	1,242	1,310	1,374	1,445	1,519	1,453	1,655	1,725	1,797
Total											3,806					
	2,437	2,567	2,694	2,821	2,943	3,074	3,228	3,365	3,519	3,661	3,806	3,952	3,828	4,228	4,361	4,496
<i>% of total pop'n</i>	<i>0.8</i>	<i>0.8</i>	<i>0.9</i>	<i>0.9</i>	<i>1.0</i>	<i>1.0</i>	<i>1.0</i>	<i>1.1</i>	<i>1.1</i>	<i>1.2</i>	<i>1.2</i>	<i>1.2</i>	<i>1.2</i>	<i>1.3</i>	<i>1.4</i>	<i>1.4</i>

Note: Includes Gawler

Table 5.6: Prevalence estimates by age and sex, Metropolitan West HACC Region, 2005 to 2020

Age and sex	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
Males																
0-59	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8
60-64	56	58	62	65	67	69	70	70	70	70	71	71	71	72	73	74
65-69	73	73	73	75	77	79	80	82	83	85	87	89	91	94	96	97
70-74	134	135	137	136	137	137	142	147	154	159	163	168	174	178	183	190
75-79	221	212	200	195	192	192	197	203	204	205	207	211	214	220	224	227
80-84	324	330	339	346	346	335	331	324	323	326	334	336	338	333	330	328
85+	390	418	441	459	483	516	536	558	577	591	597	609	621	640	656	676
Total males	1,206	1,233	1,260	1,284	1,310	1,336	1,364	1,391	1,418	1,444	1,467	1,492	1,517	1,544	1,570	1,600
<i>% of male pop'n</i>	<i>1.2</i>	<i>1.2</i>	<i>1.2</i>	<i>1.2</i>	<i>1.3</i>	<i>1.3</i>	<i>1.3</i>	<i>1.3</i>	<i>1.4</i>	<i>1.4</i>	<i>1.4</i>	<i>1.5</i>	<i>1.5</i>	<i>1.5</i>	<i>1.5</i>	<i>1.6</i>
Females																
0-59	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8
60-64	31	32	34	37	38	40	40	40	40	41	41	42	42	42	43	43
65-69	62	62	62	62	62	63	64	66	68	71	73	74	77	78	81	83
70-74	152	147	148	151	153	154	160	165	168	172	176	182	188	195	201	208
75-79	305	298	283	272	262	258	260	264	268	271	275	279	281	282	283	284
80-84	517	527	523	516	510	491	487	477	472	469	468	461	459	457	455	453
85+	909	954	1,009	1,055	1,098	1,145	1,170	1,194	1,213	1,231	1,242	1,263	1,276	1,288	1,306	1,318
Total females	1,984	2,027	2,068	2,101	2,131	2,158	2,189	2,214	2,238	2,262	2,283	2,309	2,330	2,351	2,375	2,397
<i>% of female pop'n</i>	<i>1.8</i>	<i>1.9</i>	<i>1.9</i>	<i>2.0</i>	<i>2.0</i>	<i>2.0</i>	<i>2.0</i>	<i>2.1</i>	<i>2.1</i>	<i>2.1</i>	<i>2.1</i>	<i>2.2</i>	<i>2.2</i>	<i>2.2</i>	<i>2.2</i>	<i>2.3</i>
Persons																
0-59	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16
60-64	87	90	97	102	105	109	110	110	110	111	112	112	113	114	115	117
65-69	135	135	135	137	139	142	145	148	151	155	160	164	168	172	176	180
70-74	286	282	285	287	289	291	303	311	322	331	339	350	362	373	384	398
75-79	526	509	483	467	454	449	457	467	472	476	482	490	495	502	507	511
80-84	841	857	862	862	857	826	817	801	794	795	802	798	798	791	785	781
85+	1,299	1,371	1,450	1,514	1,582	1,661	1,706	1,752	1,789	1,822	1,839	1,872	1,897	1,927	1,962	1,994
Total persons	3,191	3,260	3,328	3,385	3,442	3,494	3,553	3,605	3,655	3,706	3,750	3,802	3,848	3,895	3,945	3,996
<i>% of total pop'n</i>	<i>1.5</i>	<i>1.5</i>	<i>1.6</i>	<i>1.6</i>	<i>1.6</i>	<i>1.7</i>	<i>1.7</i>	<i>1.7</i>	<i>1.7</i>	<i>1.8</i>	<i>1.8</i>	<i>1.8</i>	<i>1.8</i>	<i>1.9</i>	<i>1.9</i>	<i>1.9</i>

Table 5.7: Prevalence estimates by age and sex, Metropolitan East HACC Region, 2005 to 2020

Age and sex	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
Males																
0-59	9	9	9	9	9	9	9	9	9	9	9	9	10	10	10	10
60-64	65	68	74	79	81	84	85	85	85	85	86	86	88	89	89	90
65-69	83	84	85	86	89	91	94	97	100	102	105	108	110	113	115	118
70-74	138	139	141	147	152	157	165	173	178	186	191	199	207	216	223	231
75-79	221	217	215	210	205	199	207	212	224	232	241	248	255	258	266	271
80-84	311	320	329	335	345	350	351	359	359	359	361	366	369	381	388	394
85+	413	439	466	486	512	544	569	593	613	642	667	690	718	735	759	783
Total males	1,241	1,277	1,318	1,352	1,393	1,434	1,480	1,527	1,568	1,616	1,661	1,708	1,756	1,802	1,850	1,898
<i>% of male pop'n</i>	<i>0.9</i>	<i>0.9</i>	<i>1.0</i>	<i>1.0</i>	<i>1.0</i>	<i>1.0</i>	<i>1.1</i>	<i>1.1</i>	<i>1.1</i>	<i>1.2</i>	<i>1.2</i>	<i>1.2</i>	<i>1.2</i>	<i>1.3</i>	<i>1.3</i>	<i>1.3</i>
Females																
0-59	9	9	9	9	9	9	9	9	9	9	9	9	10	10	10	10
60-64	37	38	41	45	46	48	48	48	48	49	49	49	50	50	51	51
65-69	67	66	67	69	69	73	75	78	81	84	87	89	91	93	96	98
70-74	158	156	159	162	167	170	177	184	192	199	207	216	224	234	243	252
75-79	305	302	297	291	284	277	284	291	297	304	311	317	322	329	336	343
80-84	537	534	530	532	532	526	528	533	535	535	532	536	538	537	541	544
85+	1,139	1,195	1,243	1,281	1,324	1,372	1,391	1,414	1,445	1,474	1,507	1,535	1,570	1,605	1,634	1,660
Total females	2,251	2,301	2,346	2,388	2,432	2,474	2,513	2,558	2,607	2,654	2,703	2,751	2,805	2,859	2,910	2,959
<i>% of female pop'n</i>	<i>1.6</i>	<i>1.6</i>	<i>1.6</i>	<i>1.7</i>	<i>1.7</i>	<i>1.7</i>	<i>1.7</i>	<i>1.8</i>	<i>1.8</i>	<i>1.8</i>	<i>1.9</i>	<i>1.9</i>	<i>1.9</i>	<i>1.9</i>	<i>2.0</i>	<i>2.0</i>
Persons																
0-59	18	18	18	18	18	19	19	19	19	19	19	19	19	19	19	19
60-64	102	106	115	124	128	132	133	133	133	134	135	135	137	139	140	142
65-69	149	150	152	155	159	164	169	174	181	186	192	197	202	206	211	216
70-74	296	295	299	309	319	327	342	357	370	384	399	415	431	450	466	483
75-79	526	519	512	501	489	476	491	503	521	536	552	565	577	588	602	614
80-84	847	854	859	867	878	876	879	892	894	893	893	902	907	918	929	939
85+	1,553	1,634	1,709	1,767	1,835	1,915	1,960	2,007	2,058	2,116	2,175	2,225	2,288	2,340	2,393	2,444
Total persons	3,492	3,577	3,664	3,740	3,825	3,908	3,993	4,085	4,175	4,269	4,364	4,459	4,561	4,660	4,760	4,857
<i>% of total pop'n</i>	<i>1.3</i>	<i>1.3</i>	<i>1.3</i>	<i>1.3</i>	<i>1.4</i>	<i>1.4</i>	<i>1.4</i>	<i>1.4</i>	<i>1.5</i>	<i>1.5</i>	<i>1.5</i>	<i>1.6</i>	<i>1.6</i>	<i>1.6</i>	<i>1.6</i>	<i>1.7</i>

Table 5.8: Prevalence estimates by age and sex, Metropolitan South HACC Region, 2005 to 2020

Age and sex	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
Males																
0-59	14	14	14	14	14	14	14	14	14	14	14	14	14	14	14	14
60-64	98	104	116	124	129	134	135	136	136	137	138	138	138	139	139	139
65-69	111	114	117	123	129	137	143	150	155	160	165	169	174	178	182	186
70-74	194	193	197	200	208	215	227	241	256	270	288	304	320	334	347	359
75-79	311	307	300	296	292	284	291	302	310	322	332	344	358	373	387	405
80-84	459	469	480	490	498	506	511	515	522	525	527	529	535	540	548	555
85+	597	638	680	722	760	807	839	871	910	942	981	1,016	1,046	1,085	1,116	1,149
Total males	1,783	1,840	1,903	1,969	2,030	2,096	2,161	2,229	2,303	2,371	2,445	2,515	2,585	2,662	2,734	2,808
<i>% of male pop'n</i>	<i>1.1</i>	<i>1.1</i>	<i>1.2</i>	<i>1.2</i>	<i>1.2</i>	<i>1.3</i>	<i>1.3</i>	<i>1.3</i>	<i>1.4</i>	<i>1.4</i>	<i>1.4</i>	<i>1.5</i>	<i>1.5</i>	<i>1.6</i>	<i>1.6</i>	<i>1.6</i>
Females																
0-59	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15
60-64	53	56	62	67	70	74	75	75	76	77	77	78	78	79	79	79
65-69	92	92	95	98	101	106	112	117	122	128	133	138	142	147	151	154
70-74	221	217	220	225	231	237	248	262	277	291	304	321	336	352	368	384
75-79	439	431	419	407	396	389	397	406	415	427	440	449	463	477	490	502
80-84	784	791	792	785	783	767	763	760	760	758	757	759	762	764	770	776
85+	1,561	1,661	1,747	1,835	1,903	1,993	2,041	2,087	2,132	2,170	2,215	2,257	2,296	2,341	2,380	2,424
Total females	3,165	3,262	3,348	3,432	3,500	3,580	3,651	3,723	3,797	3,866	3,941	4,016	4,092	4,174	4,252	4,334
<i>% of female pop'n</i>	<i>1.9</i>	<i>1.9</i>	<i>1.9</i>	<i>2.0</i>	<i>2.0</i>	<i>2.1</i>	<i>2.1</i>	<i>2.1</i>	<i>2.2</i>	<i>2.2</i>	<i>2.2</i>	<i>2.3</i>	<i>2.3</i>	<i>2.4</i>	<i>2.4</i>	<i>2.4</i>
Persons																
0-59	29	29	29	29	29	29	29	29	29	29	29	29	29	29	29	29
60-64	151	160	177	191	199	207	209	211	212	214	215	216	216	217	218	219
65-69	203	205	212	221	231	243	255	267	278	288	298	307	316	324	333	341
70-74	414	410	417	425	439	451	475	503	532	562	592	624	656	685	714	743
75-79	750	738	718	704	688	673	689	708	726	749	772	793	821	850	878	907
80-84	1,243	1,260	1,271	1,275	1,281	1,274	1,274	1,275	1,281	1,283	1,284	1,288	1,297	1,304	1,318	1,331
85+	2,158	2,299	2,426	2,557	2,663	2,800	2,881	2,958	3,042	3,112	3,196	3,273	3,342	3,427	3,496	3,573
Total persons	4,948	5,102	5,252	5,401	5,530	5,676	5,812	5,951	6,100	6,237	6,386	6,531	6,678	6,836	6,986	7,142
<i>% of total pop'n</i>	<i>1.5</i>	<i>1.5</i>	<i>1.6</i>	<i>1.6</i>	<i>1.6</i>	<i>1.7</i>	<i>1.7</i>	<i>1.7</i>	<i>1.8</i>	<i>1.8</i>	<i>1.9</i>	<i>1.9</i>	<i>1.9</i>	<i>2.0</i>	<i>2.0</i>	<i>2.0</i>

Table 5.9: Prevalence estimates by age and sex, Hills Mallee Southern HACC Region, 2005 to 2020

Age and sex	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
Males																
0-59	4	4	4	4	4	5	5	5	5	5	5	5	5	5	5	5
60-64	41	43	46	50	52	54	54	55	56	57	58	59	59	60	61	61
65-69	49	50	52	54	56	59	60	62	64	66	68	70	73	76	78	81
70-74	78	81	82	84	88	92	97	103	110	116	121	126	130	136	142	147
75-79	112	113	114	114	114	112	118	121	126	131	137	142	148	154	160	165
80-84	137	147	154	164	171	177	181	188	192	196	198	204	205	207	211	215
85+	177	188	204	214	229	252	268	283	299	317	335	352	372	388	405	420
Total males	598	626	656	684	715	749	783	817	852	888	922	958	993	1,026	1,060	1,094
<i>% of male pop'n</i>	<i>1.0</i>	<i>1.1</i>	<i>1.1</i>	<i>1.1</i>	<i>1.2</i>	<i>1.2</i>	<i>1.3</i>	<i>1.3</i>	<i>1.4</i>	<i>1.4</i>	<i>1.5</i>	<i>1.5</i>	<i>1.6</i>	<i>1.6</i>	<i>1.6</i>	<i>1.7</i>
Females																
0-59	4	4	4	4	4	4	4	5	5	5	5	5	5	5	5	5
60-64	21	22	24	26	26	27	27	28	28	29	29	30	30	31	31	32
65-69	35	35	37	38	40	42	44	45	47	48	50	51	53	55	57	60
70-74	77	77	80	83	86	88	94	100	105	112	118	124	129	134	137	142
75-79	129	131	130	130	129	133	138	144	149	153	157	165	170	175	182	189
80-84	201	206	211	216	225	226	231	234	239	244	251	255	261	265	267	269
85+	384	416	448	476	496	529	550	575	599	625	648	669	693	720	747	777
Total females	852	892	933	972	1,008	1,049	1,088	1,130	1,172	1,215	1,258	1,299	1,340	1,384	1,428	1,472
<i>% of female pop'n</i>	<i>1.5</i>	<i>1.5</i>	<i>1.6</i>	<i>1.6</i>	<i>1.7</i>	<i>1.7</i>	<i>1.8</i>	<i>1.8</i>	<i>1.9</i>	<i>1.9</i>	<i>2.0</i>	<i>2.0</i>	<i>2.1</i>	<i>2.2</i>	<i>2.2</i>	<i>2.3</i>
Total																
0-59	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9
60-64	61	65	70	75	78	81	81	83	85	86	87	88	90	91	92	93
65-69	84	85	88	92	96	101	104	108	112	115	118	122	127	131	136	140
70-74	156	158	162	167	174	179	191	203	214	227	239	249	259	270	279	289
75-79	242	244	244	244	243	245	256	265	274	285	294	307	318	329	342	354
80-84	338	353	365	379	397	402	411	422	431	439	449	460	466	472	478	484
85+	561	605	651	690	725	780	818	857	898	942	984	1,021	1,065	1,108	1,152	1,197
Total	1,450	1,518	1,589	1,656	1,723	1,797	1,871	1,948	2,024	2,103	2,180	2,257	2,333	2,410	2,488	2,566
<i>% of total pop'n</i>	<i>1.2</i>	<i>1.3</i>	<i>1.3</i>	<i>1.4</i>	<i>1.4</i>	<i>1.5</i>	<i>1.5</i>	<i>1.6</i>	<i>1.6</i>	<i>1.7</i>	<i>1.7</i>	<i>1.8</i>	<i>1.8</i>	<i>1.9</i>	<i>1.9</i>	<i>2.0</i>

Table 5.10: Prevalence estimates by age and sex, Wakefield HACC Region, 2005 to 2020

Age and sex	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
Males																
0-59	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3
60-64	28	30	32	34	36	37	37	38	39	39	40	41	41	41	41	41
65-69	34	34	35	36	37	39	39	41	42	43	45	47	49	50	51	53
70-74	58	59	59	60	61	61	66	69	71	74	78	80	84	87	92	95
75-79	80	79	78	78	80	80	83	86	88	89	91	94	97	98	100	104
80-84	95	98	107	114	118	119	122	124	127	132	136	139	138	139	138	138
85+	115	124	128	133	138	149	157	169	174	183	190	198	207	218	230	240
Total males	413	428	443	458	474	489	507	530	545	565	583	602	619	636	656	675
<i>% of male pop'n</i>	<i>1.0</i>	<i>1.0</i>	<i>1.1</i>	<i>1.1</i>	<i>1.1</i>	<i>1.2</i>	<i>1.2</i>	<i>1.3</i>	<i>1.3</i>	<i>1.3</i>	<i>1.4</i>	<i>1.4</i>	<i>1.5</i>	<i>1.5</i>	<i>1.5</i>	<i>1.6</i>
Females																
0-59	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3
60-64	14	15	16	17	17	17	18	18	19	19	20	20	20	20	21	21
65-69	25	25	26	26	27	29	30	31	31	31	32	33	34	36	37	38
70-74	54	53	55	58	59	60	64	69	71	76	78	81	83	86	86	89
75-79	91	90	92	90	91	91	95	99	103	104	107	111	115	118	123	124
80-84	140	146	146	148	151	152	154	162	161	166	168	171	172	175	176	178
85+	288	299	311	325	334	347	358	367	377	387	401	411	424	435	449	461
Total females	614	632	648	667	683	700	722	748	764	787	810	830	853	873	895	916
<i>% of female pop'n</i>	<i>1.5</i>	<i>1.6</i>	<i>1.6</i>	<i>1.6</i>	<i>1.7</i>	<i>1.7</i>	<i>1.8</i>	<i>1.8</i>	<i>1.9</i>	<i>1.9</i>	<i>2.0</i>	<i>2.0</i>	<i>2.0</i>	<i>2.1</i>	<i>2.1</i>	<i>2.2</i>
Persons																
0-59	7	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6
60-64	42	45	48	51	53	54	55	56	58	58	60	60	62	62	63	62
65-69	59	60	62	62	64	68	69	72	73	74	77	80	83	86	89	91
70-74	111	112	113	118	120	122	130	138	142	150	156	162	167	172	178	184
75-79	171	169	170	168	170	171	178	185	191	193	198	205	212	216	223	228
80-84	234	244	253	262	269	271	276	286	288	298	304	310	310	314	315	316
85+	404	423	438	458	472	496	515	536	552	570	591	610	632	653	680	700
Total persons	1,027	1,060	1,091	1,126	1,157	1,189	1,229	1,278	1,309	1,352	1,393	1,432	1,471	1,509	1,552	1,591
<i>% of total pop'n</i>	<i>1.3</i>	<i>1.3</i>	<i>1.3</i>	<i>1.4</i>	<i>1.4</i>	<i>1.4</i>	<i>1.5</i>	<i>1.5</i>	<i>1.6</i>	<i>1.6</i>	<i>1.7</i>	<i>1.7</i>	<i>1.7</i>	<i>1.8</i>	<i>1.8</i>	<i>1.9</i>

Note: Excludes Gawler

Table 5.11: Prevalence estimates by age and sex, South East HACC Region, 2005 to 2020

Age and sex	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
Males																
0-59	3	3	2	2	2	2	2	2	2	2	2	2	2	2	2	2
60-64	17	18	20	21	22	23	24	24	25	25	25	26	26	26	26	25
65-69	21	21	21	22	23	24	25	26	27	28	28	30	31	32	33	34
70-74	33	33	34	35	36	39	40	42	44	46	49	50	53	55	57	59
75-79	49	49	49	48	48	45	47	49	51	53	56	58	59	61	64	65
80-84	58	62	66	67	71	74	76	77	78	78	77	78	80	81	84	88
85+	78	81	84	90	96	99	104	110	115	120	126	131	136	140	143	146
Total males	259	267	277	286	298	306	319	330	341	353	364	375	387	398	409	420
<i>% of male pop'n</i>	<i>0.8</i>	<i>0.8</i>	<i>0.9</i>	<i>0.9</i>	<i>1.0</i>	<i>1.0</i>	<i>1.0</i>	<i>1.1</i>	<i>1.1</i>	<i>1.2</i>	<i>1.2</i>	<i>1.2</i>	<i>1.3</i>	<i>1.3</i>	<i>1.4</i>	<i>1.4</i>
Females																
0-59	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
60-64	9	10	10	11	11	11	11	11	12	12	12	13	13	13	13	13
65-69	15	16	17	17	18	18	19	19	19	19	20	21	22	23	23	24
70-74	36	35	36	37	37	38	41	44	47	49	51	52	53	54	55	57
75-79	62	63	62	63	62	61	62	64	64	65	67	70	73	76	79	79
80-84	99	100	104	103	106	106	108	109	113	114	114	112	113	112	111	112
85+	189	199	204	215	225	237	243	251	255	266	271	280	287	297	305	310
Total females	413	425	436	448	461	474	486	500	512	528	538	550	563	575	588	598
<i>% of female pop'n</i>	<i>1.3</i>	<i>1.4</i>	<i>1.4</i>	<i>1.5</i>	<i>1.5</i>	<i>1.6</i>	<i>1.6</i>	<i>1.7</i>	<i>1.7</i>	<i>1.8</i>	<i>1.8</i>	<i>1.9</i>	<i>1.9</i>	<i>2.0</i>	<i>2.0</i>	<i>2.1</i>
Total																
0-59	5	5	5	5	5	5	5	5	5	5	5	4	4	4	4	4
60-64	27	28	30	32	33	34	35	36	37	37	38	38	38	38	39	38
65-69	37	37	38	40	41	43	44	45	46	47	49	51	52	55	56	58
70-74	69	68	70	71	73	77	82	86	91	96	99	102	106	108	112	116
75-79	111	112	111	112	109	106	109	113	115	118	124	128	133	137	143	145
80-84	157	162	169	170	177	180	184	185	191	192	191	190	192	193	195	200
85+	267	279	289	305	320	336	347	361	370	386	397	411	424	437	448	456
Total	672	692	713	734	759	781	805	831	854	881	902	925	949	973	997	1,018
<i>% of total pop'n</i>	<i>1.1</i>	<i>1.1</i>	<i>1.1</i>	<i>1.2</i>	<i>1.2</i>	<i>1.3</i>	<i>1.3</i>	<i>1.4</i>	<i>1.4</i>	<i>1.5</i>	<i>1.5</i>	<i>1.5</i>	<i>1.6</i>	<i>1.6</i>	<i>1.7</i>	<i>1.7</i>

Table 5.12: Prevalence estimates by age and sex, Northern and Far Western HACC Region, 2005 to 2020

Age and sex	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
Males																
0-59	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
60-64	15	15	15	16	16	17	17	17	18	18	17	17	17	17	17	17
65-69	17	18	18	18	19	19	19	19	19	19	20	20	21	21	22	22
70-74	25	25	26	27	28	29	31	32	33	34	35	35	36	37	38	40
75-79	30	32	33	33	33	32	33	35	36	38	39	41	42	42	43	44
80-84	35	36	37	38	42	44	48	50	51	52	52	52	54	56	56	57
85+	41	43	45	48	49	53	55	58	60	64	68	73	75	78	81	84
Total males	166	171	176	183	189	197	205	213	220	227	234	241	247	253	259	265
<i>% of male pop'n</i>	<i>0.6</i>	<i>0.7</i>	<i>0.7</i>	<i>0.7</i>	<i>0.7</i>	<i>0.8</i>	<i>0.8</i>	<i>0.9</i>	<i>0.9</i>	<i>0.9</i>	<i>1.0</i>	<i>1.0</i>	<i>1.0</i>	<i>1.1</i>	<i>1.1</i>	<i>1.2</i>
Females																
0-59	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
60-64	7	7	7	8	8	8	8	8	8	8	8	8	8	8	8	8
65-69	12	12	12	12	12	12	13	13	13	14	14	14	14	14	14	15
70-74	24	23	24	26	27	28	29	29	30	31	32	33	34	35	36	37
75-79	36	37	38	38	37	37	38	41	43	45	46	46	46	47	47	48
80-84	56	56	56	56	60	60	63	66	68	68	70	70	73	75	77	77
85+	95	102	106	108	114	118	122	122	124	132	135	141	146	148	152	156
Total females	231	239	245	250	259	265	274	281	288	299	307	315	324	329	336	342
<i>% of female pop'n</i>	<i>1.0</i>	<i>1.0</i>	<i>1.0</i>	<i>1.1</i>	<i>1.1</i>	<i>1.1</i>	<i>1.2</i>	<i>1.2</i>	<i>1.3</i>	<i>1.3</i>	<i>1.4</i>	<i>1.4</i>	<i>1.5</i>	<i>1.5</i>	<i>1.6</i>	<i>1.6</i>
Total																
0-59	4	4	4	4	4	4	4	4	4	4	4	4	4	4	3	3
60-64	21	21	23	24	25	25	25	26	26	26	25	25	25	25	25	25
65-69	29	29	29	30	30	31	31	32	32	33	33	34	35	36	36	37
70-74	49	49	51	53	55	57	60	61	63	65	67	69	70	72	74	76
75-79	66	69	71	71	70	69	71	76	80	82	85	88	88	89	90	92
80-84	91	92	93	95	101	105	110	116	120	120	123	122	127	131	133	133
85+	136	146	151	156	163	171	177	179	184	196	203	214	221	225	233	241
Total	397	410	421	433	448	462	479	494	508	526	540	556	570	582	595	607
<i>% of total pop'n</i>	<i>0.8</i>	<i>0.8</i>	<i>0.9</i>	<i>0.9</i>	<i>0.9</i>	<i>1.0</i>	<i>1.0</i>	<i>1.0</i>	<i>1.1</i>	<i>1.1</i>	<i>1.2</i>	<i>1.2</i>	<i>1.3</i>	<i>1.3</i>	<i>1.4</i>	<i>1.4</i>

Table 5.13: Prevalence estimates by age and sex, Eyre HACC Region, 2005 to 2020

Age and sex	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
Males																
0-59	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
60-64	11	11	12	13	13	13	14	14	14	14	15	15	15	16	16	16
65-69	12	13	13	13	14	15	15	16	16	16	17	17	18	18	19	20
70-74	19	18	19	20	21	22	23	25	26	28	29	31	31	32	33	34
75-79	28	29	28	27	26	26	25	27	29	30	32	33	35	36	38	39
80-84	36	36	40	41	42	42	43	43	42	43	42	42	44	47	48	49
85+	50	52	53	55	58	62	65	69	72	73	76	79	80	83	86	88
Total males	158	161	166	171	175	181	188	194	200	206	212	218	225	234	240	247
<i>% of male pop'n</i>	<i>0.9</i>	<i>0.9</i>	<i>0.9</i>	<i>0.9</i>	<i>1.0</i>	<i>1.0</i>	<i>1.0</i>	<i>1.1</i>	<i>1.1</i>	<i>1.1</i>	<i>1.2</i>	<i>1.2</i>	<i>1.2</i>	<i>1.3</i>	<i>1.3</i>	<i>1.3</i>
Females																
0-59	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
60-64	5	5	6	6	6	6	7	7	7	7	7	7	7	8	8	8
65-69	8	8	9	9	10	10	11	11	11	11	12	12	13	13	14	14
70-74	19	18	18	19	20	20	21	23	24	26	28	28	29	30	31	32
75-79	35	35	34	33	32	32	33	33	34	35	36	37	38	40	41	44
80-84	54	55	58	59	60	60	61	61	61	61	62	61	59	61	62	61
85+	107	115	119	124	130	137	142	148	152	156	162	168	175	176	178	184
Total females	229	239	245	252	259	267	276	284	290	298	307	315	323	329	335	344
<i>% of female pop'n</i>	<i>1.4</i>	<i>1.4</i>	<i>1.4</i>	<i>1.5</i>	<i>1.5</i>	<i>1.5</i>	<i>1.6</i>	<i>1.6</i>	<i>1.7</i>	<i>1.7</i>	<i>1.8</i>	<i>1.8</i>	<i>1.8</i>	<i>1.9</i>	<i>1.9</i>	<i>1.9</i>
Total																
0-59	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3
60-64	16	17	18	19	19	20	20	20	21	21	22	22	23	23	24	24
65-69	20	21	22	23	24	25	26	27	27	28	28	29	30	31	33	34
70-74	37	36	37	39	41	41	44	47	50	53	57	59	61	62	64	66
75-79	63	64	62	60	58	58	58	60	63	65	67	70	73	76	79	83
80-84	90	92	97	100	101	102	104	105	104	104	104	103	104	108	110	110
85+	157	167	173	179	188	199	208	216	223	229	238	248	255	260	263	272
Total	387	400	411	423	434	448	463	478	491	504	520	534	548	563	575	591
<i>% of total pop'n</i>	<i>1.1</i>	<i>1.1</i>	<i>1.2</i>	<i>1.2</i>	<i>1.2</i>	<i>1.3</i>	<i>1.3</i>	<i>1.3</i>	<i>1.4</i>	<i>1.4</i>	<i>1.5</i>	<i>1.5</i>	<i>1.5</i>	<i>1.6</i>	<i>1.6</i>	<i>1.6</i>

Table 5.14: Prevalence estimates by age and sex, Mid North HACC Region, 2005 to 2020

Age and sex	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
Males																
0-59	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
60-64	11	11	12	13	13	13	13	13	13	13	13	13	13	13	13	12
65-69	14	14	14	14	15	15	15	16	16	16	16	16	17	17	17	18
70-74	22	22	22	22	23	25	25	26	28	29	30	31	32	33	34	34
75-79	30	31	31	31	30	30	31	32	33	34	35	36	36	38	39	40
80-84	42	43	45	47	46	45	47	47	48	49	50	50	50	50	51	52
85+	49	54	55	58	63	66	69	72	75	77	79	83	86	88	91	92
Total males	170	176	181	186	191	195	202	207	214	219	225	230	235	240	245	248
<i>% of male pop'n</i>	<i>1.1</i>	<i>1.2</i>	<i>1.2</i>	<i>1.2</i>	<i>1.3</i>	<i>1.3</i>	<i>1.4</i>	<i>1.4</i>	<i>1.5</i>	<i>1.5</i>	<i>1.6</i>	<i>1.6</i>	<i>1.7</i>	<i>1.7</i>	<i>1.8</i>	<i>0.9</i>
Females																
0-59	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
60-64	5	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6
65-69	10	10	10	10	10	11	11	11	11	11	11	11	12	12	12	12
70-74	21	22	21	22	22	23	24	25	27	28	29	30	31	31	31	31
75-79	42	39	39	37	36	36	37	37	38	39	40	41	42	43	44	46
80-84	60	63	64	67	68	68	66	67	66	66	66	68	65	66	66	67
85+	119	125	133	138	142	147	154	158	163	166	170	171	177	180	182	186
Total females	258	266	274	282	286	293	299	306	313	317	324	328	334	339	343	349
<i>% of female pop'n</i>	<i>1.7</i>	<i>1.8</i>	<i>1.8</i>	<i>1.9</i>	<i>1.9</i>	<i>2.0</i>	<i>2.1</i>	<i>2.1</i>	<i>2.2</i>	<i>2.2</i>	<i>2.3</i>	<i>2.4</i>	<i>2.4</i>	<i>2.5</i>	<i>2.5</i>	<i>2.6</i>
Total																
0-59	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
60-64	16	17	18	19	19	19	19	19	19	19	19	19	19	19	19	19
65-69	23	23	23	25	25	26	27	27	27	28	27	28	28	29	29	30
70-74	43	43	43	44	46	47	49	51	54	56	59	61	63	64	65	65
75-79	72	71	70	68	67	66	68	69	71	73	76	76	78	81	83	86
80-84	102	107	110	114	114	114	113	114	114	115	116	118	116	116	117	119
85+	168	179	187	196	205	214	223	230	239	243	249	254	263	268	273	278
Total	428	442	454	468	478	488	501	513	527	536	548	558	569	579	588	597
<i>% of total pop'n</i>	<i>1.4</i>	<i>1.5</i>	<i>1.5</i>	<i>1.6</i>	<i>1.6</i>	<i>1.6</i>	<i>1.7</i>	<i>1.8</i>	<i>1.8</i>	<i>1.9</i>	<i>1.9</i>	<i>2.0</i>	<i>2.0</i>	<i>2.1</i>	<i>2.2</i>	<i>2.2</i>

Table 5.15: Prevalence estimates by age and sex, Riverland HACC Region, 2005 to 2020

Age and sex	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
Males																
0-59	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
60-64	10	10	11	12	12	13	13	13	13	13	13	13	13	13	13	13
65-69	11	11	11	12	12	12	13	13	14	14	15	15	15	16	16	16
70-74	19	19	20	20	20	21	22	22	23	24	25	26	27	28	30	31
75-79	29	28	27	27	27	26	27	28	29	29	30	31	32	32	32	33
80-84	36	38	38	39	39	41	41	42	43	44	43	43	44	44	46	46
85+	47	49	53	55	57	59	62	64	65	67	71	73	75	78	79	81
Total males	154	157	162	166	169	174	179	183	188	193	198	203	208	213	217	222
<i>% of male pop'n</i>	<i>0.9</i>	<i>0.9</i>	<i>1.0</i>	<i>1.0</i>	<i>1.0</i>	<i>1.0</i>	<i>1.1</i>	<i>1.1</i>	<i>1.1</i>	<i>1.2</i>	<i>1.2</i>	<i>1.2</i>	<i>1.3</i>	<i>1.3</i>	<i>1.3</i>	<i>1.4</i>
Females																
0-59	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
60-64	5	5	5	5	6	6	6	6	6	6	6	6	6	6	7	7
65-69	8	8	8	9	9	9	9	9	9	10	10	11	11	12	12	12
70-74	19	19	20	20	20	21	22	23	24	24	25	26	26	27	28	29
75-79	35	34	32	32	32	32	32	34	34	35	36	37	38	39	39	39
80-84	59	59	61	60	59	58	56	54	55	56	57	58	60	59	59	60
85+	110	117	122	130	137	142	144	150	153	156	158	157	156	160	165	168
Total females	238	244	250	257	263	268	272	277	283	289	293	296	298	304	311	316
<i>% of female pop'n</i>	<i>1.4</i>	<i>1.5</i>	<i>1.5</i>	<i>1.6</i>	<i>1.6</i>	<i>1.6</i>	<i>1.7</i>	<i>1.7</i>	<i>1.8</i>	<i>1.8</i>	<i>1.8</i>	<i>1.9</i>	<i>1.9</i>	<i>1.9</i>	<i>2.0</i>	<i>2.0</i>
Persons																
0-59	3	3	3	3	3	3	3	3	3	3	2	2	2	2	2	2
60-64	14	15	16	17	18	19	19	19	19	19	19	20	20	20	20	20
65-69	19	20	20	20	21	21	22	23	23	24	25	26	27	28	28	29
70-74	39	39	40	40	40	42	44	45	47	48	50	52	54	55	58	60
75-79	64	62	60	59	59	58	60	62	63	65	67	69	70	71	71	73
80-84	95	97	99	98	98	99	98	96	98	100	99	101	104	103	105	106
85+	158	166	175	186	194	201	206	214	218	223	229	229	231	238	244	249
Total persons	392	401	412	423	433	442	450	461	471	481	491	498	507	517	528	538
<i>% of total pop'n</i>	<i>1.2</i>	<i>1.2</i>	<i>1.2</i>	<i>1.3</i>	<i>1.3</i>	<i>1.3</i>	<i>1.4</i>	<i>1.4</i>	<i>1.4</i>	<i>1.5</i>	<i>1.5</i>	<i>1.5</i>	<i>1.6</i>	<i>1.6</i>	<i>1.7</i>	<i>1.7</i>

Table 5.16: Prevalence estimates by metropolitan local government area, 2005 to 2020
on this page 2005 to 2009

LGA	2005			2006			2007			2008			2009		
	Males	Females	Persons	Males	Females	Persons	Males	Females	Persons	Males	Females	Persons	Males	Females	Persons
Adelaide	61	109	171	64	110	174	66	112	178	69	113	182	71	115	186
Adelaide Hills [part]	76	102	178	79	107	186	83	111	194	87	116	203	91	120	211
Burnside	260	507	768	268	518	787	275	529	804	281	534	815	291	542	833
Campbelltown	260	423	683	270	439	709	283	454	737	293	471	764	305	485	789
Charles Sturt	611	973	1,584	626	995	1,621	641	1,017	1,658	654	1,037	1,691	668	1,055	1,724
Gawler	92	153	245	96	160	256	101	167	268	105	174	278	108	179	287
Holdfast	256	534	790	260	539	798	265	546	811	269	549	818	274	551	825
Marion	447	754	1,202	461	782	1,244	478	806	1,283	494	830	1,324	507	848	1,356
Norw'd/Payn'm/StPtr s	192	424	616	196	425	621	200	426	626	205	429	634	210	432	642
Mitcham	352	664	1,016	360	679	1,040	370	690	1,060	380	702	1,082	390	710	1,100
Onkaparinga	545	799	1,344	572	847	1,419	600	888	1,488	629	929	1,558	657	965	1,623
Port Adelaide/Enfield	525	872	1,397	534	895	1,429	546	913	1,459	552	927	1,479	562	942	1,504
Playford	230	338	568	240	353	594	250	371	620	260	387	646	271	401	672
Prospect	84	160	243	87	161	248	88	163	251	91	163	254	92	166	258
Salisbury	338	487	825	358	514	872	378	536	914	397	559	956	415	582	997
Tea Tree Gully	321	478	799	339	506	845	359	533	892	379	561	940	400	585	986
Unley	182	413	596	187	415	602	191	418	609	197	422	619	202	425	626
Walkerville	42	86	129	42	86	128	44	85	129	44	86	130	45	86	131
West Torrens	335	579	914	344	591	935	352	604	956	360	613	973	368	620	989

**Table 5.16: Prevalence estimates by metropolitan local government area, 2005 to 2020 ... cont
on this page 2010 to 2014**

LGA	2010			2011			2012			2013			2014		
	Males	Females	Persons	Males	Females	Persons	Males	Females	Persons	Males	Females	Persons	Males	Females	Persons
Adelaide	74	117	191	77	120	197	80	123	203	83	126	210	87	130	217
Adelaide Hills [part]	95	126	221	99	130	229	104	134	238	108	140	248	113	145	258
Burnside	300	551	851	311	558	869	321	567	887	330	573	903	342	582	924
Campbelltown	314	497	811	324	511	836	337	527	864	348	543	891	359	557	917
Charles Sturt	681	1,071	1,751	695	1,088	1,784	709	1,101	1,810	725	1,115	1,841	739	1,130	1,869
Gawler	112	185	297	117	193	310	122	199	320	125	206	331	130	212	342
Holdfast	279	558	837	283	558	841	289	561	849	296	565	860	303	568	871
Marion	522	869	1,391	538	889	1,427	553	908	1,462	571	925	1,495	585	939	1,524
Norw'd/Payn'm/StPtr s	216	436	652	222	438	661	229	442	670	235	447	682	241	452	693
Mitcham	400	720	1,120	410	728	1,138	421	736	1,158	433	745	1,179	443	754	1,197
Onkaparinga	688	1,005	1,693	717	1,046	1,763	747	1,084	1,832	780	1,125	1,905	812	1,164	1,977
Port Adelaide/Enfield	574	953	1,527	587	967	1,554	598	978	1,577	608	988	1,596	619	1,001	1,619
Playford	282	417	699	296	438	734	309	458	767	320	475	796	331	495	826
Prospect	94	167	262	97	167	264	99	168	267	101	170	270	103	171	274
Salisbury	436	606	1,042	460	637	1,097	483	668	1,151	505	697	1,202	527	726	1,253
Tea Tree Gully	423	613	1,036	443	643	1,087	465	672	1,137	490	700	1,190	512	728	1,240
Unley	207	429	636	212	431	643	217	433	651	223	438	660	228	441	669
Walkerville	46	86	132	48	86	134	49	87	136	50	87	137	51	88	139
West Torrens	376	628	1,004	383	637	1,020	391	646	1,037	398	654	1,052	406	660	1,065

**Table 5.16: Prevalence estimates by metropolitan local government area, 2005 to 2020 ... cont
on this page 2015 to 2019**

LGA	2015			2016			2017			2018			2019		
	Males	Females	Persons	Males	Females	Persons	Males	Females	Persons	Males	Females	Persons	Males	Females	Persons
Adelaide	90	134	225	94	139	233	98	145	243	103	150	253	107	155	262
Adelaide Hills [part]	117	151	268	122	157	279	127	163	290	132	170	303	137	176	314
Burnside	353	591	944	364	599	964	375	610	985	386	619	1,005	397	630	1,027
Campbelltown	369	571	940	381	583	964	391	597	988	402	611	1,013	413	622	1,035
Charles Sturt	751	1,141	1,892	764	1,155	1,919	778	1,165	1,943	793	1,179	1,972	806	1,193	1,998
Gawler	134	218	352	138	226	364	142	232	375	147	238	385	151	245	395
Holdfast	311	572	883	317	575	891	324	580	904	333	585	918	342	591	933
Marion	598	954	1,553	612	968	1,579	626	981	1,607	642	993	1,635	655	1,007	1,663
Norw'd/Payn'm/StPtr s	248	458	706	253	464	717	260	471	731	266	479	745	272	485	758
Mitcham	455	764	1,219	467	774	1,241	479	786	1,265	493	799	1,292	504	811	1,315
Onkaparinga	846	1,205	2,051	878	1,249	2,127	909	1,289	2,198	941	1,332	2,273	974	1,371	2,344
Port Adelaide/Enfield	629	1,010	1,638	639	1,024	1,663	649	1,034	1,683	659	1,041	1,700	672	1,054	1,726
Playford	342	513	855	354	531	885	366	545	912	375	558	934	386	574	960
Prospect	106	173	279	109	175	284	112	177	289	115	179	294	117	182	299
Salisbury	552	757	1,309	578	789	1,367	602	821	1,423	625	851	1,477	648	881	1,529
Tea Tree Gully	536	754	1,290	557	780	1,336	578	806	1,384	600	833	1,433	621	856	1,477
Unley	235	446	681	242	451	693	247	457	704	253	464	717	259	471	731
Walkerville	52	89	142	54	90	144	56	91	147	57	92	149	58	93	151
West Torrens	413	667	1,080	420	675	1,095	427	683	1,109	434	689	1,122	441	694	1,135

**Table 5.16: Prevalence estimates by metropolitan local government area, 2005 to 2020 ... cont
by five year breakdown**

LGA	2005			2010			2015			2020		
	Males	Females	Persons	Males	Females	Persons	Males	Females	Persons	Males	Females	Persons
Adelaide	61	109	171	74	117	191	90	134	225	111	160	271
Adelaide Hills [part]	76	102	178	95	126	221	117	151	268	142	183	325
Burnside	260	507	768	300	551	851	353	591	944	409	640	1,049
Campbelltown	260	423	683	314	497	811	369	571	940	422	633	1,055
Charles Sturt	611	973	1,584	681	1,071	1,751	751	1,141	1,892	820	1,203	2,024
Gawler	92	153	245	112	185	297	134	218	352	155	250	405
Holdfast	256	534	790	279	558	837	311	572	883	351	597	947
Marion	447	754	1,202	522	869	1,391	598	954	1,553	669	1,020	1,690
Norw'd/Payn'm/StPtrs	192	424	616	216	436	652	248	458	706	279	493	772
Mitcham	352	664	1,016	400	720	1,120	455	764	1,219	515	826	1,341
Onkaparinga	545	799	1,344	688	1,005	1,693	846	1,205	2,051	1,006	1,414	2,420
Port Adelaide/Enfield	525	872	1,397	574	953	1,527	629	1,010	1,638	684	1,062	1,746
Playford	230	338	568	282	417	699	342	513	855	395	588	983
Prospect	84	160	243	94	167	262	106	173	279	120	185	305
Salisbury	338	487	825	436	606	1,042	552	757	1,309	672	913	1,585
Tea Tree Gully	321	478	799	423	613	1,036	536	754	1,290	642	881	1,523
Unley	182	413	596	207	429	636	235	446	681	266	477	743
Walkerville	42	86	129	46	86	132	52	89	142	59	94	154
West Torrens	335	579	914	376	628	1,004	413	667	1,080	450	701	1,152

6. Dementia incidence estimates for the State, by age and sex

Estimates of the incidence of dementia in South Australia from 2005 to 2020 by age and sex are shown in Table 6.1.

Table 6.1: Incidence estimates by age and sex, South Australia, 2005 to 2020
Note: numbers in the table are shown as thousands – eg 1.86 represents 1,860 people

Age and sex	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
Males																
0-59	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
60-64	0.04	0.04	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.06	0.06	0.06	0.06	0.06	0.06
65-69	0.13	0.13	0.13	0.14	0.14	0.15	0.16	0.16	0.17	0.17	0.18	0.18	0.19	0.19	0.20	0.20
70-74	0.23	0.23	0.24	0.24	0.25	0.26	0.27	0.29	0.30	0.31	0.33	0.34	0.35	0.36	0.38	0.39
75-79	0.44	0.43	0.43	0.42	0.42	0.41	0.43	0.44	0.46	0.47	0.49	0.51	0.52	0.54	0.55	0.57
80-84	0.50	0.51	0.53	0.55	0.56	0.57	0.58	0.59	0.60	0.61	0.62	0.62	0.63	0.64	0.65	0.66
85+	0.52	0.57	0.59	0.63	0.67	0.71	0.74	0.77	0.79	0.82	0.85	0.88	0.91	0.93	0.96	0.99
Total males	1.86	1.91	1.97	2.03	2.09	2.15	2.22	2.29	2.37	2.44	2.51	2.58	2.65	2.73	2.80	2.87
Females																
0-59	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
60-64	0.04	0.04	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.06	0.06	0.06	0.06	0.06	0.06
65-69	0.14	0.14	0.14	0.14	0.15	0.16	0.17	0.17	0.18	0.18	0.19	0.19	0.20	0.20	0.21	0.21
70-74	0.24	0.24	0.25	0.25	0.26	0.27	0.28	0.30	0.31	0.32	0.34	0.35	0.36	0.37	0.39	0.40
75-79	0.55	0.55	0.54	0.53	0.52	0.52	0.53	0.55	0.56	0.58	0.59	0.60	0.62	0.63	0.65	0.66
80-84	0.78	0.79	0.80	0.80	0.81	0.80	0.81	0.81	0.82	0.82	0.83	0.84	0.84	0.85	0.85	0.86
85+	1.18	1.25	1.30	1.38	1.42	1.48	1.52	1.55	1.59	1.62	1.66	1.69	1.73	1.76	1.80	1.83
Total females	2.93	3.01	3.08	3.15	3.21	3.28	3.35	3.43	3.50	3.58	3.65	3.72	3.80	3.87	3.95	4.02
Persons																
0-59	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
60-64	0.08	0.08	0.10	0.10	0.10	0.10	0.10	0.10	0.11	0.11	0.11	0.11	0.11	0.12	0.12	0.12
65-69	0.27	0.27	0.27	0.28	0.29	0.31	0.32	0.33	0.34	0.35	0.36	0.37	0.38	0.39	0.40	0.41
70-74	0.47	0.47	0.49	0.49	0.51	0.53	0.56	0.58	0.61	0.63	0.66	0.69	0.71	0.74	0.76	0.79
75-79	0.99	0.98	0.97	0.95	0.94	0.93	0.96	0.99	1.02	1.05	1.08	1.11	1.14	1.17	1.20	1.23
80-84	1.28	1.30	1.33	1.35	1.37	1.37	1.39	1.40	1.42	1.43	1.45	1.46	1.48	1.49	1.51	1.52
85+	1.70	1.82	1.89	2.01	2.09	2.19	2.25	2.32	2.38	2.44	2.51	2.57	2.63	2.69	2.76	2.82
Total persons	4.79	4.92	5.05	5.18	5.30	5.43	5.58	5.72	5.87	6.01	6.16	6.31	6.45	6.60	6.74	6.89

Table A1: Prevalence estimates by sex, showing increase by year, metropolitan and country health regions, South Australia, 2005 to 2020

Year	Section of State	Number			Increase over previous year (No.)		
		Males	Females	Persons	Males	Females	Persons
2005	Metropolitan regions	5,120	8,703	13,823
	Country SA	2,010	2,987	4,997
	State total	7,130	11,690	18,820
2006	Metropolitan regions	5,287	8,963	14,250	167	260	427
	Country SA	2,083	3,097	5,180	73	110	183
	State total	7,370	12,060	19,430	240	370	610
2007	Metropolitan regions	5,469	9,201	14,670	182	238	420
	Country SA	2,161	3,199	5,360	78	102	180
	State total	7,630	12,400	20,030	260	340	600
2008	Metropolitan regions	5,641	9,428	15,069	172	227	399
	Country SA	2,239	3,302	5,541	78	103	181
	State total	7,880	12,730	20,610	250	330	580
2009	Metropolitan regions	5,820	9,632	15,451	179	204	382
	Country SA	2,320	3,398	5,719	81	96	178
	State total	8,140	13,030	21,170	260	300	560
2010	Metropolitan regions	6,006	9,849	15,855	186	217	404
	Country SA	2,404	3,501	5,905	84	103	186
	State total	8,410	13,350	21,760	270	320	590
2011	Metropolitan regions	6,205	10,072	16,276	199	223	421
	Country SA	2,498	3,609	6,108	94	108	203
	State total	8,703	13,681	22,384	293	331	624
2012	Metropolitan regions	6,404	10,293	16,696	199	221	420
	Country SA	2,592	3,719	6,312	94	110	204
	State total	8,996	14,012	23,008	293	331	624
2013	Metropolitan regions	6,604	10,514	17,118	200	221	422
	Country SA	2,685	3,829	6,514	93	110	202
	State total	9,289	14,343	23,632	293	331	624
2014	Metropolitan regions	6,802	10,730	17,532	198	216	414
	Country SA	2,780	3,944	6,724	95	115	210
	State total	9,582	14,674	24,256	293	331	624
2015	Metropolitan regions	7,004	10,951	17,954	202	221	422
	Country SA	2,871	4,054	6,926	91	110	202
	State total	9,875	15,005	24,880	293	331	624
2016	Metropolitan regions	7,203	11,177	18,380	199	226	426
	Country SA	2,965	4,159	7,124	94	105	198
	State total	10,168	15,336	25,504	293	331	624
2017	Metropolitan regions	7,405	11,400	18,805	202	223	425
	Country SA	3,056	4,267	7,323	91	108	199
	State total	10,461	15,667	26,128	293	331	624
2018	Metropolitan regions	7,609	11,626	19,234	204	226	429
	Country SA	3,145	4,372	7,518	89	105	195
	State total	10,754	15,998	26,752	293	331	624
2019	Metropolitan regions	7,809	11,849	19,658	200	223	424
	Country SA	3,238	4,480	7,718	93	108	200
	State total	11,047	16,329	27,376	293	331	624
2020	Metropolitan regions	8,014	12,072	20,086	205	223	428
	Country SA	3,326	4,588	7,914	88	108	196
	State total	11,340	16,660	28,000	293	331	624

